

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.


We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/

B 3 9015 00218 201 5
University of Michigan – BUHR





Q 11 .D4 Index

BULLETIN

OF THE

SCIENTIFIC LABORATORIES

OF

DENISON UNIVERSITY, Grandielle O.

THOMAS L. WATSON,

Permanent Secretary Denison Scientific Association.

GENERAL INDEX TO THE FIRST TEN VOLUMES OF THE BULLE-TIN OF THE SCIENTIFIC LABORATORIES OF DENISON UNIVERSITY. FROM 1885 TO 1897 INCLUSIVE.

By W. W. STOCKBERGER

Granville, Ohio, August, 1904.

Stockberger, W. W.

General Index to the First Ten Volumes of the Bulletin of the Scientific Laboratories of Denison University. From 1885 to 1897 inclusive. Bulletin Scientific Laboratories of Denison University, Granville, Ohio, August, 1904, pp. 1-39.

General Index to the First Ten Volumes of the Bulletin Scientific Laboratories of Denison University. From 1885 to 1897 inclusive. By W. W. Stockberger. Bulletin Scientific Laboratories of Denison University, Granville, Ohio, August, 1904, pp. 1-39.

Bulletin Scientific Laboratories of Denison University, General Index to the First Ten Volumes of the. From 1885 to 1897 inclusive. By W. W. Stockberger. Bulletin Scientific Laboratories of Denison University, Granville, Ohio, August, 1904, pp. 1-39.

Denison University, General Index to the First Ten Volumes of the Bulletin of the Scientific Laboratories. From 1885 to 1897 inclusive. By W. W. Stockberger. Bulletin Scientific Laboratories of Denison University, Granville, Ohio, August, 1904, pp. 1-39.

A M. 14 18 1 1 100 200

of the angle of the first of th that there is an elementary who have the contract of the end of the experience of the control of the system of a second control of the system of the s Carte to the term of

the state of the s and the state of t

The second of th

of more than a control of a comparation of the Board that

the state of the control of the first of the control of the section of the section of A set of the first of the first of the set o The second section of the second second

Science his

GENERAL INDEX

TO THE

FIRST TEN VOLUMES

OF THE

BULLETIN

OF THE

Scientific Laboratories

OF

Denison University

From 1885 to 1897, inclusive.

BY W. W. STOCKBERGER.

All references are brought under one alphabet. Names of new species are followed by n. sp. Italicised page number indicates a reference to an illustration. The Roman characters I and II following the volume numerals 8 and 9 refer to the parts in which these volumes were issued, a distinction not observed in the other volumes since the pagination of each is consecutive. Figures not referred to in the text are indexed by number of volume and plate. The letter T preceding a numeral refers to the tables in Vol I.

NOTE: Plates VIII, XV, and XVI of Vol. II were issued as the last three plates in Vol III.

Plate XI, wanting in Vol. III, appears as plate of same number in Vol. IV.

INDEX.

A

Allorisma andrewsi 4:Pl. 11. Abutilon avicennae 7:24. Acalypha virginica 7:75. consanguinata n. sp. 4:29. Acanthaceae 7:67. convexa n. sp. 3:74. Acanthocladiidæ 2:78. cooperi n. sp. 3:72. Acer dasycarpum 7:27. costata 2:33, 2:140. cuyahoga n. sp. 4:28. geinitzii 2:33. rubrum 7:27. saccharinum 7:27. var. nigrum gilberti 2:33. 7:27. hannibalensis 2:11. nobilis 3:71, 4:28. sp? 2:Pl. 1. sp. **5:**10. spicatum 8-II:3. Achillea millefolium 5:10, 7:52. subcuneata 2:34. Acidaspis 1:101. ventricosa 3:73. ortoni n. sp. 2:90. winchelli 3:72. Almanadine garnet 1:T2. Acmite 1:T15. Alnus incana 7:78. Alona glacialis 6:68, 8-I:5. intermedia 6:68. Acorus calamus 7:88, 8-II:5. Actaea alba 7:14. spicata var. rubra 7:14. porrecta 6:67, 8-I:5, 8-II:24. Actinolite 1:T15. Actinomeris squarrosa 7:51. Adam and Eve 7:81. quadrangula 1:37. Adder's-tongue, yellow 7:85. Adelphi, O., glacial lake near sanguinea 1:37. Alopecurus geniculatus var. aristulatus 7:95. 9-I:23. Adiantum pedatum 7:99. Althaea officinalis 7:23, 8-II:3. rosea 8-II:3. Aesculus glabra 7:27. Aggregates 1:T19. Agrimonia eupatoria 7:34. Aluminum, detection of, in rocks parviflora 7:34. Agrimony, small flowered 7:34. Alum-root 7:36. Alveolites expansa, see Ceramopora Agrimony, Agrostis alba 7:95.
" var. v expansa 2:169. Amarantaceae 7:71. var. vulgaris 7:95. Amarantus albus 7:72. perennans 7:95. chlorostachys 7:71. scabra 7:95. Agropyrum repens 7:98. retroflexus 7:71. Ailanthus glandulosus 7:26. Akins. L. E. On the Determination Amaryllidaceae 7:83. Ambrosia artemisiaefolia 1:31, 7:50: of the Horizontal Com-ponent of the Earth's trifida 1:31, 7:50.
" var. integrifolia 7:50. Magnetic Force 2:111. Amelanchier canadensis 7:36. var. oblong-Albite 1:T17. Alder. Black 7:26. Speckled 7:78. ifolia 7:36. Ampelopsis quinquefolia 7:27. Algae, List of, from Granville, O. Amphicarpaea monoica 7:31. 4:132. Alismaceae 7:89. pitcheri 7:31. Anaphalis margaritacea 7:49. Anacardiaceae 7:28. Alisma plantago 7:89. Allium canadense 7:84. Analcite 1:<u>T</u>3. tricoccum 7:84. Anatase 1:T5. (5)

```
Anatomy of Hesperiphona 1:15.
                                                  Central nervous system of
Andalusite 1:T11.
                                                      5:35
                                                   Cerebellum of 5:63.
Andesite 1:T17.
                                                   External form and measure-
Andropogon scoparius 7:94.
                                                  ments of brain 5:51.
Mesencephalon of 5:67.
Anemore nemorosa 7:11.
                     var, quinquefolia
                                                   Motor nuclei of trigeminus
           7:11.
                                                      of 5:62.
        pennsylvanica 7:11.
                                                   Structure of cord and me-
        virginica 7:11.
Anemonella thalictroides 7:12.
                                                      dulla 5:53.
                                          Arenaria serpyllifolia 7:21.
Angelica atropurpurea 7:40.
                                          Arethusa bulbosa 7:81.
        hirsuta 7:40.
                                          Argemone mexicana 7:16.
Anomite 1:T12.
                                          Ariomellus 1:114.
sp. See A. pulchellus 2:99.
            cuspidatus, see Syringo-
Anomites
           thyris cuspidatus 3:41.
Anonaceae 7:14.
Anorthite 1:T18.
                                          Arisaema dracontium 7:88.
triphyllum 7:88.
Antennaria plantaginifolia 7:49.
                                          Aristolochiaceae 7:74
Anthemis arvensis 7:52.
cotula 7:52.
Anthophyllite 1:T10.
                                          Aristolochia clematitis 1:34.
                                                  serpentaria 7:74. sipho 1:27, 1:33.
Anuraea 1:58.
         cochlearis 6:66.
                                          Arrow-wood 7:44.
         longispina 1:61.
                                          Artichoke 7:51.
         sp. 1:58.
                                          Asarum canadense 7:74.
         tecta 6:66.
                                          Asclepiadaceae 7:58.
Anychia capillacea 7:71.
                                          Asclepias cornuti 7:59.
Apatite 1:T8.
                                                  incarnata 7:59.
Aphyllon uniflorum 7:66, 8-II:5.
                                                             var. pulchra 7:59.
Apios tuberosa 7:51.
                                                  phytolaccoides 7:59.
                                                  quadrifolia 7:59.
Aplectrum hiemale 7:81.
Apocynaceae 7:58.
                                                  sullivantii 7:59.
Apocynum cannabinum 7:58.
                                                  tuberosa 7:58.
Appalachian axis 9-I:2.
                                          Ash, Black 7:58.
                                                  Blue 7:58.
Red 7:58.
Apple, common 7:35.
Apple of Peru, 7:63.
Aquilegia canadensis 7:13:
                                          White 7:58.
Ashland Co., O. Geological section
Arabis canadensis 7:17.
        confinis 7:17.
                                                      4:102.
        dentata 7:17.
hirsuta 7:17.
                                          Ashland, Ky.
                                                          Abandoned channel
                                                      near 9-II:18.
                                          Asimina triloba 7:14.
        laevigata 7:17.
        lyrata 7:17.
                                          Asparagus officinalis 7:85.
        perfoliata 7:17.
                                          Aspen, American 7:80.
Araceae 7:88.
                                          Aspidium acrostichoides 7:100.
Aragonite 1:T19.
                                                                    var. incisum
Araliaceae 7:42.
                                                      7:100.
Aralia hispida 7:42.
                                                  cristatum 8-II:6.
        nudicaulis 7:42.
                                                  goldianum 7:100, 8-II:6.
        quinquefolia 7:42.
                                                  marginale 7:100.
                                                  noveboracense 7:100.
        racemosa 7:42.
Arbutus 7:56.
                                                  spinulosum 7:100.
Arca ornata n. sp. 3:83.
                                                  thelypteris 7:100.
Arctium lappa 7:53.
                                          Asplanchnaea 1:60.
Arctomys monax. Bladder cells in
                                          Asplanchna brightwelii 1:61.
        trigeminus of 5:61.
Brain structure of
                                                  cincinnatiensis n. sp. 6:59.
                            of
                                                  magnificus n. sp. 1:60.
           pared with Didelphys
                                                  myrmeleo 1:60.
           5:76.
                                                  sp. ? 1:61.
```

Asplenium angustifolium 7:99. ebeneum 7:99. felix-foemina 7:100. pinnatifidum 7:99. thelypteroides 7:100. trichomanes 7:99. Asprella hystrix 7:99. Astartella newberryi 2:39. varica 2:39. vera (??) 2:39. Aster cordifolius 7:48. corymbosus 7:48.
diffusus 7:48. var. hirsuticaulis 7: ericoides 7:48. var. villosus 7:48. macrophyllus 7:48. novae angliae 7:48. novi belgii 7:48. paniculatus 7:48. patens 7:48. prenanthoides 7:48. punicens 7:49. var. laevicaulis 7:49. sagittifolius 7:48. salicifolius 7:48. shortii 7:48. tradescanti 7:48. undulatus 7:48. white-topped 7:47. Athyris ashlandensis n. sp. 4:24. lamellosa 3:49.

ohioensis 3:49. sp. 3-Pl. 7, Pl. 12. subtilata 2:44. Atriplex patula 1:34 Atropa belladonna 1:29. Atrypa nodostriata 1:90, 1:78. reticularis?? 3:41, 1:75, 4-Pl. 9. Atyris sp. 4-Pl. 10. Augite 1:T14. Avicula longa 2:36-37. ohioense 2:145. ? recta n. sp. 4:115 scutella 4:30. subspatulata n. sp. 4:30. Avena fatua 7:96. Aviculopinna americana 2:38. Aviculopecten cancellatus n. sp. 3:54. cooperi n. sp. 3:51. coxanus 2:26. granvillensis n. sp. *3:50*. hertzeri 2:25. newarkensis 3:52. occidentalis 2:26. (cf. oweni) 3:52. perelongatus n. sp. 3:50. scalaris 2:26. sorer n. sp. 2:27. sp. ? 2:25-27, 3-Pl. 7, 4-Pl. sublobatus 2:25. winchelli 3-Pl. 1, Pl. 6.

Bainbridge, O. Preglacial valley near 9-I:25.
Baldwin, C. J. The Personal Elements in Instruction 4: Balm, common 7:68. Balm of Gilead 7:80. Baneberry, Red 7:14. White, 7:14. Barbarea vulgaris 1:31, 7:18. Barney, Eliam E. 10:65-69.
Barney, Eugene J. 10:61-63-64. Barnyard grass 7:94. Bartonia tenella 7:59. Basite 1:T10. Bass-wood 7:24. See Proetus de-Bathyurus 1:103. terminatus 2:91. Instrument for rapidly Batteries. changing cell-arrangement of 5:16.

Bawden, H. H. 10:19. Bdelloida 6:58.

Beaver poison 7:41. Bedford shale 4:108. exposed at Central College, O. 5:25. fossils from 4:109. Bedstraw. Rough 7:46. Small 7:45. American 7:79. Beech. Beech drops 7:66. Beech Flats. Preglacial channel near **9–**I :25. Beggar's lice 7:61. Beggar-ticks 7:51. Bellerophon 2:17. carbonarius 2:19. (cf. crassus) 2:20. cyrtolites 3:88. decussatus 2:19. fiscello-striatus n. sp. 1:99. galericulatus 3:89. helena 4:Pl. 9. inspeciosus 2:18. marcouianus 2:20. montfortianus 2:19.

nodocarinatus 2:18. Blue Grass 7:97. Blue Weed 7:62. percarinatus 2:17. Boehmeria cylindrica 7:77. perelegans 3:90. Boneset 7:46. pulchellus 2:19. Borraginaceae 7:61. sp. 3:90. Bosmina cornuta 8-I:4. stramineus 2:19. atlantaensis n. sp. 8-II:23.
Botanical laboratory. Notes from 8sub-cordiformis n. sp. 2:18. Bellflower 7:56. Bent grass 7:95. II :7. Beomyces roseus 9-1:14. Botany. Dept. of at Denison Univ. Berberidaceae 7:15. 10:87. Botrychium ternatum var. interme-Berberis vulgaris 7:15. Berea grit 4:107. shale of Ohio 4:107. dium 7:101. virginianum 7:101. Boughton, W. H. 10:15 — Biog. 36. shale exposed at Moot's Run, O. 5:26. Boulder clay near Beech Flats, O. 9-I:28.
Bourneville, O. Preglacial channel Bergamont. Wild 7:69. Bidens bipinnata 7:52. cernua 7:52. connata 7:51. chrysanthemoides 7:52. near 9-1:19. Box Elder 7:28. Brachionus bakeri 1:55, 6:64. frondosa 7:51. Bignoniaceae 7:66. intermedius 1:56. militaris 1:56, 6:65. Big Sandy Valley. Preglacial drainpala **6**:63. age in 9-II:26. tuburculus n. sp. 6:65. Bindweed. Black 7:74.
Biological notes on Fiber, Geomys urceolaris 6:64. Brachiopoda 2:105. in Clinton group of Ohio 1: and Erethizon 6:15. Biotite 1:T8. Bishop's Leaf 7:36. of Flint Ridge, Ohio 2:43. Cap 7:36. of Licking Co., Ohio. Key to Bittersweet 7:63.
Bittersweet. Climbing 7:26.
Blackberry. High 7:33. Brachyelytrum aristatum 7:95. Brachymetopus 2:53. discors 2:57. Low 7:33. Black Gum 7:43.
Black Hand. Conglomerate of 9-I:9. hibernicus 2:55-57. lodiensis 2:55. Black Hand rock 8-II:40. mc coyi 2:55. Black Haw 7:44. Medick 7:29. outalicus 2:55. Brain of Arctomys, external form and Snakeroot 7:13. Sugar Maple 7:27. measurements of 5:51. Brain. Comparative structure Bladder cells of the trigeminis of Arctomys and Didelphys Arctomys 5:61. **5**:76. Bladder Ketmia 7:24. Bladder-nut, American 7:28. Brain of Erethizon 6:26. of Geomys 6:26. Bladderwort 7:66. Blazing Star 7:86. method of hardening 6:27. of Opossum 6:75. Blephilia ciliata 7:69. of rabbit. Summary of Strehirsuta 7:69. Blood Root 7:16. da's work on 5:41. of rat. Summary of Streda's Blue Bells 7:61. Blueberry. Low 7:56. work on 5:41. Rodent. General description Swamp 7:56. of **5**:40. Blue clay of the Clinton 1:68. Studies in topography of rodent 6:26. Blue Cohosh 7:15. Brake. Common 7:99. Brassica nigra 1:31, 7:19.
sinapistrum 7:19. Blue-eyed Grass 7:83. Blue-eyed Mary 7:64. Blue Flag 7:83. Bremen, O., drainage near 9-II:35.

Bromus ciliatus 7:98. var. purgans 7:98. mollis 7:98. secalinus 7:98. tectorum 7:98. Bronzite 1:T10. Brooklime. American 7:65. Brookweed 7:57. Brown's Quarry, Clinton group of 3:10. Brunella vulgaris 7:70. Bryozoa of Flint Ridge, O. 2:71. of Clinton group of O. 2:149. of Waverly group of O. 4:63. Bucania exigua n. sp. 1:99. trilobata 2:103. Buckeye, Ohio 7:27. Buckwheat, 7:74. Buds. Superposed 1:25. Buellia parasema 9-I:14. petraea 9-I:14. C Cacalia atriplicifolia 7:53. reniformis 7:53. Calanidae 6:69. Calcident 1:T19.
Calcident 1:T7.
Calcident 1:T30. Fluo-silicate of 1:130. California Valley, O. Pre Preglacial drainage in 9-II:27. Callopora magnopora n. sp. 2:173. ohioensis n. sp. 2:174. punctata 4:91. See clema punctatum. See Leio-Callosum of Geomys and Erethizon 6:38. of Opossum 6:81. Calopogon pulchellus 7:81. Caltha palustris 7:13. Calymene 1:109. blumenbachii ? 1:110. See C. vogdesi. clintoni see C. vogdesi, niagaraensis 1:109. vogdesi n. sp. 2:95. Camassia fraseri 7:84. Cambrian formation 9-1:4.
Camp Corwin, O. Clinton exposures of 3:11. Campanulaceae 7:55. Campanula americana 7:56. aparanoides 7:56, 8-II:4. Camptosorus rhizophyllus 7:100. Camtocercus macrurus 8-1:4. Canada thistle 7:54. Canalis centralis of Arctomys 5:56.

Bugle Weed 7:68. Bulletin Scientific Laboratories of Denison University. tents 10:41. Editor 10:19. Exchange list 5:4, 10:41. Founding of 10:16. Bullrush 7:91. Bunch-berry 7:43. Bur-cucumber 7:39. Burdock 7:53. Burlington group 4:99. Bur Oak 7:78. Bur Marigold 7:52. Burning-bush 7:26. Buttercups 7:13. Butter-and-eggs 7:64. Butterfly-weed 7:58. Butter-nut 7:77. Butter-weed 7:53. Bytownite 1:T18.

Canary-grass 7:95. Cancer-root 7:66. Cancrinite 1:T7. Cannabis sativa 7:76. Candona acuminator 8-II:19. crogmaniana n. sp. 8-II:20. delawarensis n. sp. 8-II:21. Canthocamptus 1:37. Caprifoliaceae 7:43. Capsella bursa-pastoris 5:10, 7:19. Caraway 7:41.
Carum carui 7:41.
Carboniferous trilobite 2:51. Cardamine hirsuta 7:17. rhomboidea 7:17. var. purpurea 7:17.

Cardinal flower 7:55. Cardiopsis ovata 4:38, Fig. 5 not Fig. 6. Carex bromoides 7:93. cephalophora 7:93. divisii 7:92. cephalantha echinata var. **8**–II:5. gracillima 7:92. granularis 7:92. grayii 7:91. hystricina 7:92. interior var. capillaceae **8**–II :5. intumescens 7:91. laxiflora 7:92. var. patulifolia

7:92

laxifolia var. styloflexa 7:93, 8-II:5. var. varians 7:02. lupulina 7:91. var. pedunculata **8**–II :5. lurida 7:92. oligocarpa 7:92. pennsylvanica 7:93. plantaginea 7:93. platyphylla 7:93. prasina 7:92. pseudo-cyperus 7:92. var. americana 7:92. rosea 7:93. shortiana 7:92. sparganioides 7:93. squarrosa 7:92. stenolepis 7:92. stipata 7:93. tribuloides 7:93. trichocarpa 7:92. utriculata 7:92. varia 7:93. virescens 7:92. vulpinoides 7:93, Carpet weed 7:39.
Carpinus caroliniana 7:78.
Carrion flower 7:84.
Carya alba 1:29, 7:77.
amare 1:30. microcarpa 1:30. olivaeformis 1:30. porcina 1:30, 7:78. sulcata 1:30, 7:78. tomentosa 1:30. Caryophyllaceae 7:20. Cassia chamaecrista 1:32, 7:31. marilandica 7:31. nictitans 7:31. Castanea sativa var. americana 7:79. Catalpa bignonioides 7:67. Catalogue of the Phanerogams and Ferns of Licking Co., O. 7:1. Catch fly 7:21. Catgut 7:29. Cathypna leontina n. sp. 6:61. ohioensis 6:61. See Distyla ohioensis 1:54. Cathophyllum australl n. sp. 3:128. Catnip 7:69. Catskill region 9-I:5. Cat-tail 7:88. Caulophyllum thalictroides 7:15. Ceanothus americanus 7:26, 8-II:3. Cedar. Red 7:80. Celandine 7:16. Celastraceae 7:26.

Celastrus scandens 7:26. Cell arrangement. Instrument for rapidly changing 5:16. Cell arranger 8-II:29. Celtis occidentalis 7:76. Cenchrus tribuloides 7:94. Centaurea cyanus 7:54. Central nervous system of Arctomys 5:35.
of rodents 5:35.
Centronella julia 3:49.
Cephalopoda of Flint Ridge, O. 2:17. Cephalanthus occidentalis 7:45. Ceramopora expansa 2:169. Chrysosplenium americanum 7:36. Chydorus sphaericus 6:69, 8-I:6, **8**–II :25. Cichorium intybus 8-II:4. Cicuta bulbifera 8:41. maculata 7:41. Cimicifuga racemosa 7:13. Cincinnati group 1:67-69. geanticline 9-I:4. Cinereum of Erethizon 6:29. Cinna arundianaceae 7:96. Cinnamon Fern 7:101. Circaea lutetiana 7:39. Cladocera 1:37-39. Cladocera, Copepoda, Ostracoda and Rotifera of Cin., O. Notes on 6:57. Cladocera of Cin., O. Notes 8-I:3. of Georgia. Notes on 8-II :22. Cladonia caespiticia 9-I:14. cristatella 9-I:14. delicata 9-I:14. fimbriata 9-I:14. furcata var. crispata 9-1:14. gracilis var. verticillata 9-I:14. mitrula 9-1:13. pyxidata 9-1:14. rangiferma var. alpestris **9**–I :14. ravenelii 9-I:14. squamosa 9-I:14. symplycarpa 9-1:11, 9-1:13. uncialis 9-1:14. Clathropora clintonensis 2:154. frondosa 2:154. Clava of Erethizon 6:30. Clay. Boulder 9-I:28. Claytonia virginica 5:10, 7:22. Cleavers 7:45. Clematis viorna 7:11. virginiana 7:11. Cleveland shale 4:110. Clinochlore 1:T12.

Clinopistha radiata 2:34. of Cape Choyye 2:139. Clinton group of Ohio 1:65-70-120, of Waverly group 5:27-29. 2:89-149, 3:3. Coniferae 7:80. stratigraphy of 3:7. Conium maculatum 7:41. Conocardium alternistriatum n. sp. exposure of 3:10. Clinton limestone, analysis of 3:5. 4:42. Closterium acerosum 4:132. pulchellum 3:97. Conochilus 1:44. dianae 2:116. lineatum 2:116. Conopholis americana 7:66. Contact phenomena in S. C. Lithomoniliferum 2:116. logical notes on 4:5. parvulum 2:116. strigosum 2:116. Contribution to the knowledge of the Clover. Preglacial Drainage Alsike 7:29. Buffalo 7:28. Red 7:28. Ohio 8-II:35, 9-I:15-25. Conularia byblis 3:95. gracillis n. sp. 4:48. White 7:29. micronema 3:04, 4:40. newberryi 2:146, 3:93, 4:Pl.8-10. Cnicus altissimus 7:53. var. discolor 7:53. arvensis 7:54. lanceolatus 7:53. victa 4:47. muticus 7:53. Convolvulaceae 7:62. Coccothraustes 1:5. Convolvulus sepium var. ameri-Cocklebur 7:50. Cockspur Thorn 7:36. Colby Dr. H. F. 10:62-70. Cole, A. D. An Instru canus 7:62. Convolvulus sepium var. repens 7:62. Cooper, W. F. A Tabulated List of D. An Instrument for Rapidly Changing the Fossils of Ohio Waverly 4:123. Cell Arrangement of large Fossils known to occur in Batteries 5:16.
A simple Chronograph 5:19. Waverly of Ohio. Additions 5:33. A Scale Divider 5:20. An Electrical Couple for The Waverly group 5:24. Copepoda, Cladocera, Ostracoda and Projection 5:20. Rotifera of Cin., O. Notes on Electricity as a Laboratory Servant 8-II:27. Electrical Waves in long parallel Wires 9-II:8. 6:57. Copperas Mountain 9-1:18. Coral-berry 7:44. Corallorhiza odontorrhiza 7:81. biography of 10:29-39. multiflora 7:81.
Corals of Flint Ridge, O. 2:50.
Cord and medulla of Arctomys, personal mention 10:15. Collinsia verna 7:64. Collinsonia canadense 7:68. structure of 5:54. Columbine, wild 7:13. Comandra umbellata 7:75:, 8-II:5. Cordierite 1:T11. Commelinaceae 7:87.
Commissure. Anterior, of Geomys Coreopsis aristosa 7:51. discoidea 7:51. tinctoria 1:34. trichosperma 7:51. and Erethizon 6:38. tripteris 1:34, 7:51. Hippocampal, of opossum Cork Elm 7:76. Cornaceae 7:43. 6:81. Component. Horizontal, of Earth's Corn Chamomile 7:52. magnetic Force 2:111. Cockle 7:21. Compositae 7:46. Gromwell 7:62. Conferva rhyphophila 4:132. Conglomerate Alegrippus 9-I:7. Speedwell 7:65. Cornel 7:43. Carboniferous 9-1:9. Cornus alternifolia 7:43. Jasper 9-1:28. asperifolia 7:43. Panama 9-1:7. canadensis 7:43. florida 7:43. Salamanca 9-I:8. Sub-olean 9-1:9. paniculata 7:43.

sericea 7:43. stolonifera 1:31; Pl. 12, Crow-foot 7:12. 7:43. Cruciferae 7:16. Corpora strata of Didelphys 5:77. of rabbit and rat 5:45. Corpse Plant 7:57. Corundum 1:T8. Corydalis flavula 7:16. Corylus americana 7:78. of Cosmarium biretum 2:116. botrytis 2:115. brebissonia 2:115. broomei 2:116. contractum 2:115. intermedium 2:115. latum 2:115. orbiculatum 2:116. ralfsii 2:116. seelyanum 2:115. tinctum 2:116. Cotton-wood 7:80. Couch grass 7:98. Couple, electric, for projection 5:20. Couseranite 1:T5. Cudweed 7:49. Cowbane 7:40-41. Cow parsnip 7-40. Cowslip, virginian 7:61. Cup-plant 7:50. Cupuliferae 7:78. Crab-apple 7:35. Crab-grass 7:93. Crataegus coccinea 7:35. 10:20. var. macracantha 7:35. var. mollis 7:35. crus-galli 7:35. punctata 7:35. Cranberry 7:56. Cranesbill, wild 7:24. Cyanite 1:T17. Crania hamiltonae 3:31. Cranial nerves, origin of in rabbit Pl. 8. and rat 5:42. Cranial nerves of Erethizon 6:30. of Arctomys and Erethizon 6:42. Cyclonema 1:94. Crassulaceae 7:37. Crenipecten cancellatus 4:34. crenistriatus 4:34. foerstii n. sp. 2:28. granvillensis 3-Pl. 12. senilis n. sp. 3:54. sub-cardiformis n. sp. 3:53. winchelli 2:11-28, 3-Pl. 10. tus. Crepdocercus setiger, see Dunhevidia 8-1:5. Cress, Bitter 7:17. Lake 7:18. Marsh 7:18. tenuicornis 6:70.

Water 7:18.

Cross-fertilization of Lobelia syphilitica 3:111. Crura cerebri of Erethizon 6:29. Crus olfactorius of opossum 6:79. Crushing effect of glacial ice sheet Crustaceae of Cincinnati 6:66. Clinton Group of 1:100, 2:89. of Flint Ridge, O. 2:17. of Licking Co., O. 4:49. Metamorphosis and morphology of 1:16. Mud-inhabiting 1:37. Cryptonella eudora 3:48. Cryptotaenia canadensis 7:41. Crystals, optical uniaxial 1:131. Ctenodonta houghtoni 3:78, 4:44. iowensis 3:78. stella 3:78. Cucumber Tree 7:14. Cucurbitacea 7:39. Culver's root 7:65. Currant, Black 7:37. Curriculum (Denison University '97) Cuscuta glomerata 7:63. gronovii 7:62. tenuiflora 8-II:4. Cuyahoga shale in Ohio 4:103. near Burbank, O. 5:30. Cyathaxonia 2:86. prolifera 2:86, Pl. 7 not Cyathophyllum australe n. sp. 3:128. boloniense 3:130. patula n. sp. 3:129. Cyclocypris laevis 8-II:14. bilix 1:76-94 strigillata 3:Pl. 12. leavenworthana 3:86. Cyclops ater 6:69. crassicornis, see C. fimbriafimbriatus 6:71, fluviatilis 6:70. parcus 6:69. phaleratus 6:70. serrulatus 6:70. signatus, see tenuicornis.

viridis **6**:60.

Cyclora 1:96.	fuscata 8-II:16.
alta n. sp. 1:96.	herricki n. sp. 6:71.
Cymbellae gastroides 3:115.	" late larval history
Cynodon dactylon 7:96.	of 8 -II:11,
Cynoglossum officinale 7:61.	incongruens 8-I:8.
virginicum 7:61.	laevis, see Cyclocypris fae-
Cynthiana, O. Glacial drift near	vis.
Cynthiana, O. Giaciai dint near	ovum, " " "
9–I :26.	
Cyperaceae 7:90.	sp. (?) 6:71.
Cyperus aristatus 7:90.	striolata, see Cypria ex-
diandrus 7:90.	culpta.
esculentus 7:90.	virens 6 :71.
flavescens 7:90.	Cyrtia cuspidata, see Syringothyris
strigosus 7:90.	cuspidatus 3:41.
Cypria exculpta 8-II:13.	simplex, see Syringothyris
inequivalva n. sp. 8–I:6,	cuspidatus 3:41.
ĬI :14.	Cyrtina acutirostis 4:Pl. 11.
Cypricardina 2:35.	sp. <i>3:47</i> .
(?) carbonaria 2:35.	Cystodictya angustata n. sp. 4:82.
Cypricardinia scitula n. sp. 4:38.	carbonaria 2:74.
Cypricardites 1:93.	lineata 2:75.
ferrugineum 1:93.	occellata 2:75.
Cypridopsis vidua 6:73, 8-II:19.	simulans n. sp. 4:81.
Cypripedium acaule 7:83.	sp. undet 4:83.
parviflorum 7:82.	zigzag n. sp. 4:81.
pubescens 7:82.	Cystodictyonidae 2:165.
spectabile 7:83.	Cystopteris bulbifera 7:100, 8-II:5.
Cypris burlingtonensis n. sp. 8-II:17.	fragilis 7:100.
crenata n. sp. 8–I:9.	Cythere ohioensis n. sp. 4:60.
מ	
Dactylis glomerata 7:97.	Deming, J. L. List of diatoms from
Daisy, Ox-eye 7:52.	Granville, O. 3:114.
Dalmanites (?) 2:53.	Denison Scientific Association 10:37
cuyahogae 2:53.	Denison University, Curriculum of
emmrich 1:116.	10 :20.
verrucosus I:101.	Department of Physics and
vigilans 1:101.	Chemistry 10:84.
werthneri 1:68, 76, 101, 116,	Department of Geology and
2:101.	Botany 10:87.
Dandelion 7:54.	Department of Zoology
Danthonia spicata 7:96.	10:88.
Daphnia 1:21.	Historical sketch 10:7.
pulex 6 :67, 8 -I:4.	Museum 10:90.
Darnel 7:98	Scientific faculty 10:29.
Datura stramonium 7:63.	" publications 10:41
tatula 7:63.	Dentalium sp. 2:146.
Daucus carota 7:40.	granvillensis n. sp. 3:92.
Day-lily 7:84.	Dentaria diphylla 7:16.
Dayton, O., Quarries of 1:66.	laciniata 7:17.
Rock exposure near 1:66-68.	Desmodium acuminatum 7:30.
Decodon verticillatus 7:38.	canadense 7:30.
Deerberry 7:56.	canescens 7:30.
Delessite 1:T19.	dillenii 7:30.
Delphinium 1:27.	laevigatum 7:30.
consolida 1:32.	
	nudiflorum 7:30
	nudiflorum 7:30.
exaltatum 7:13. tricorne 7:13.	nudiflorum 7:30. paniculatum 7:30. pauciflorum 8-II:4.

ludwigii 1:53. rigidum 7:30. rotundifolium 7:30. swartzii 2:116. Dew-berry 7:33. Dexiobia, Genus pars., see Oracardia Gen. n. 4:41. whitei, see Cardiopsis ovata 4:38.
Diabase of Dog Run 2:127.
porphyrite of Dog Run 2:134, 135. Diaclasite 1:T10. Diallage 1:T14. Diaptomus 1:20. pallidua 6:69. Dianthera americana 1:32, 7:67. Dianthus armeria 7:20, 8-II:3. barbatus 7:21. Diarrhena americana 7:97. Diatoma meridian-curculare 3:115. Diatoms, list of from Granville, O. 3:114. Dicentra canadensis 7:16. cucullaria 1:30, 7:16. Dichroite 1:T11. Dictyonema pertenue n. sp. 2:107. scalariforme n. sp. 2:108. Didelphys, comparative brain structure 5:76. corpora striata of 5:77. fore brain of 5:40. thalamus of 5:77. virginica, The cerebrum and olfactories of 6:75. Diencephalon of Erethizon 6:29. Geomys **6**:34. Diervilla trifida 7:44. Dinocharis 1:51. pocillum 1:51. Diopside 1:T14. Dioscorea villosa 7:83. Diospyros virginiana 7:58. Dipsaceae 7:46. Dipsacus sylvestris 7:46. Dipyre 1:T5. Dirca palustris 7:75. Discina convexa 2:144. meekiana, see nitida. nitida 2:145. Discopleura capillacea 7:41. Disporum lanuginosum 7:85. Disthene 1:T17. Distyla 1:53. gissensis 1:53.

ohioensis n. sp. 1:54.

" see Cathypna ohioensis 6:61. minnesotensis n. sp. 1:53. Diurella 1:49. insignis n. sp. 1:50. tigris 1:49, 50.
" see Rattulus tigris **6**:60. Dixon, Mrs. J. E. Germination of Phoenix dactylifera 5:8. Germination of Dociduum trabecula 2:116. Dock, Bitter 7:72. Curled 7:72. Pale 7:72. Swamp 7:72. Dockmackie 7:44. Dog-fennel 7:52.
Dog River, Rocks at mouth of 2:125. Dog Rose 7:35.
Dog's-tooth violet 7:85.
Dog-wood 7:28, 43.
Dolomite 1:T7. Draba verna 5:10, 7:18. Dragon-root 7:88. Drainage features of southern Ohio, some preglacial 9-II:22. Drainage in southern Ohio, changes in 9-II:18. of Muskingum and Licking Rivers, causes which produced changes in 8-II:47.
of Ohio, preglacial 8-II:35.
" relation of to relation of to rock structure 8-II:61. relation of the preglacial Muskingum 8-II:51. Drawing patterns on wax sheets 9-II:4.
Drawings, cutting out sectional 9-II:5.

Drift, depth of, at Thurston and Basil, O. 8-II:47. near Cynthiana, O. 9-I:26. Drosera rotundifolia 7:37. Dulichium spathaceum 7:90. Dunhevidia setiger 8-1:5.

Dunhevidia setiger 8-1:5.

Dutchman's breeches 7:16.

Dyer's-weed 7:19.

Dyke near Dog River 2:142.

Pacolet Mills, S. C. 4:5.

Dynamo, \$10 rage battery outfit 8-II:33.

.	
Early Saxifrage 7:36.	Entolium attenuatum n. sp. 2:24.
Earth, determination of horizontal	aviculatum 2:23, 28.
component of magnetic	shumardianum 3-Pl. 12.
force 2:III	Epencephalon, of Erethizon 6:29.
Eatonia pennsylvanica 7:96.	of Geomys 6:35.
Ebenaceae 7:58.	Epidote 1:T16.
Echinocystis lobata 7:39.	Epigaea repens 7:56.
Echinospermum lappula 7:61.	Epilobium adenocaulum 7:39.
virginicum 7:61.	coloratum 7:39.
Echium vulgare 7:62.	strictum 7:38.
Eclipta alba 7:50.	Epiphegus virginiana 7:66.
Editorial statement 10:3	Epiphysis of Erethizon 6:29.
Edmondia (cf. aspinwallensis) 2:38.	Equisetaceae 7:99.
burlingtonensis 3:77.	Equisetum arvense 7:99.
depressa 3:76.	hyemale 7:99.
reflexa 2:30, 1:45.	limosum 7 :99.
sulcifera n. sp. 4:30.	Eragrostis capillaris 7:97.
Educational Briefs 4:134.	frankii 7:97.
Eel-grass 7:80.	major 7:96.
Eglantine 7:35.	minor 7:96.
Eichwaldia 1:91.	pilosa 7:96.
reticulata 1:75, 78, 91.	purshii 7 :97.
Elaeolite 1:T7.	reptans 7:96.
Elder 7:43.	
Elecampane 7:49.	Erechtites hieracifolia 7:53.
Electrical couple for projection 5:20.	Erethizon dorsatus, Fiber and Ge-
energy distribution in wires	omys, Biological notes on
9-II:15.	6 :15, 23.
oscillations 9-II:8, II:10.	Ericaceae 7:56.
wave system, effect of fixed	Erie shale 9-I:7.
bridge on 9-II:11 .	fossils of 4:110.
waves in long parallel wires	Erigenia bulbosa 5:10, 7:42.
q -II:8.	Erigeron annus 7:49.
Electricity as a laboratory servant 8-	bellidofolius 7:49.
II :27.	canadensis 7:49.
Eleocharis acicularis 7:90.	philadelphicus 7:49.
ovata 7:90.	strigosus 7:49.
palustris 7:90.	Eriophorum cyperinum 7:91.
Eleusine indica 7:90.	lineatum 7:91.
Elm 7:76.	virginicum 7:91.
Elodes campanulata 7:23.	Erodium cicutarium 7:25. Erratics 9–I:28.
Elymus canadensis 7:98.	Eructavit, The. An old French para-
striatus, var. villosus 7:98.	phrase in verse of Ps. xlv
virginicus 7:98.	8-I :19.
Encrinurus americanus 2:102.	Erythronium albidum 7:85.
bowningi n. sp. 3:122.	
deltoides 2:102.	americanum 7:85. Escharina distorta, see Rhinopora
elegantulus 2:102.	Escharina distorta, see Rhinopora verrucosa 2:166.
mitchelli n. sp. 3:124.	Euastrum elegans 2:116.
nereus 2:102.	
ornatus 2:102.	rostratum 2:116. Euchlanis 1:47.
punctatus 2:103, 3-Pl. 13.	
thresheri n. sp. 2:101.	ampuliformis n. sp. 1:48.
-	dilitata 6:60. hipposideros 1:47, see E. di-
Endophyllum sp. 3:131.	litata.
Energy, distribution of in electrical	
wires 9-II:15.	triquetra 6:61.
Enstatite 1:T9.	Euomphalus latus 3:87.

rugosus 2:22. sp. ? 2:15-22, 3-P1. 7. spiralis 3:88. subquandratus 2:147. Euonymus americanus, var. obovatus 7:26. atropurpureus 7:26. Eupatorium ageratoides 7:46. perfoliatum 7:46. purpureum 7:46. sessilifolium 7:46. Euphorbiaceae 7:75. Faculty, Scientific, Denison University 10:28. Fagopyrum esculentum 7:74. Fagus ferruginea 7:79. Fairfield Co., O., preglacial valley in 9-II:33. Fair Haven, O. Fauna of 3:11. Falls of Paint Creek 9-1:16, 18. of Ohio 9_I:4. Lyon's 9-I :9. False Foxglove 7:65. Mermaid 7:25. Pimpernel 7:65. Spikenard, 7:85. Feldspars 1:T17. Fenestella albida 4:65. richfieldensis, var. n. var., 4:66. aperta 4:66. Fenestella burlintonensis 4:71. cavernosa n. sp. 4:69. foliata n. sp. 4:67. herrickana n. sp. 4:63. limbatus n. sp. 2:83. var. remotus 2:84. meekana n. sp. 4:64. regalis 4:70. remota n. sp. 2:87. subflexuosa n. sp. 4:68. tenax 4:71. Fenestellidae 2:81. Ferns and Phanerogams of Lick. Co., O., Catalogue of 7:1-102.
Festuca elatior, var. pratensis 7:98.
nutans 7:98.
Fiber Geometric Co., Fiber, Geomys and Erethizon, Biological notes on 6:15. Fiber zibethicus 6:15. Ficoideae 7:39. Filices 7:99. Finches 1:13. Fire Pink 7:21.

Fire-weed 7:53.
Fisher, J. O., The Lichens of Lick.

Co., O., 9-I:11. Fistulipora sp. undet. 4:92.

Euphorbia commutata 7:75. corollata 7:75. cyparissias 7:75. dentata 7:75. maculata 7:75.
obtusata 7:75.
preslii 7:75.
Evening Grosbeak 1:5-15.
Evening Primrose 7:39. Everlasting 7:49. Exchange list of Bulletin 5:4, 6:4, 10:45. Five-finger 7:34. Flax 7:24. Fleabane 7:49. Flemingia stulta n. sp. 4:45. Flint Ridge, Bryozoa of 2:71. fossils from coal measures of 2:144. fossils of 2:5. Flocculus, of Erethizon 6:20. Floerkea proserpina 7:25. Flora of Licking Co., O. 7:I-IO2. addition to 8-II:3 Floral monstrosities 8-II:8. Floscularia 1:46. appendiculata 1:47. complanata 1:47. longiloba 1:47. ornata 1:47, 6:58. proboscidea 1:47. trifolium 1:47. Flowering Ferns 7:101. Flowers, winter 5:10. Fluorite 1:T3. Fly Honeysuckle 7:44. Foerste, Aug. F. Clinton Group of Öhio 2:89, 149, 3:3. Flint Ridge Bryozoa 2:71. Note on Paleozoic Fossils 3:117. Superposed buds 1:25. Fog-fruit 7:67. Formatis reticularis of Arctomys 5:56. Fort Hill, O. 9-I:31. Force, Determination of the horizontal component of the earth's magnetic 2:111. Fornix of rodents 6:39. Fossils of Lick. Co., O. 3:27.

from Bedford Shale 4:100.

tabulated list of from Ohio Waverly 4:123.

Fossils, Paleozoic, notes on 3:117. of Waverly, Lick. Co., O.

additions and corrections

Fraxinus americana 1:27, 7:58. pubescens 7:58. quadrangulata 7:58. 5:33. Fowke, Gerard. Preglacial drainage channels in Ross Co., O. sambucifolia 1:29, 7:58. **9**–I:15. viridis 1:29. Foxglove 7:65. Friceratium jensenianum 3:115. Foxtail 7:94. Fragaria vesca 7:34. solenoceros 3:115. venosum 3:115. virginiana 7:33. " var. illinoensis Fringillidae 1:7.
Fultonham, O., section at 3:21.
Fumariaceae 3:21. 7:34. Fragilaria lanceolata 3:115. Fusulina cylindrica 2:15, 2:50. Frasera carolinensis 7:59. G Galium aparine 7:45. food of 6:22. asprellum 7:46. circaezans 7:45. concinnum 7:46. habits of 6:20. relationships of 6:20. Georgia, notes on Cladocera of lanceolatum 7:45. **8**–II:22. latifolium 7:45. Geraniaceae 7:24. pilosum 7:45. Geranium maculatum 7:24. Gerardia flava 7:65. trifidum 7:45. var. latifolium 7:45. purpurea 1:31. triflorum 7:46. Germander, American 7:67. Germination of Phoenix Dactylifera Garlic, wild 7:84. Garnet 1:T2. 7:8. Gervilla (?) ohioense n. sp. 2:36, Gas, in Lower Silurian 1:67. Gasteropoda, in Clinton Group of O. 2:145. Geum album 7:33. strictum 7:33. vernum 7:33. 1:94. of Flint Ridge 2:17. Gaultheria procumbens 7:56. Gaura biennis 7:39. Gaylussacia resinosa 7:56. virginianum 7:33. Gill-over-the-ground 7:69. Gilpatrick, J. L. Biography of 10:28. Ginger, Wild, 7:74. Geanticline Cin. O. 9-I:4. Gentianaceae 7:59. Gentian, Closed 7:59. Ginseng, 7:42. Gentiana andrewsii 7:59. Glacial action, effect of 1:71. crinita 7:59. epoch 9-I:2. Geological aphorisms 4:98. section, Ashland ice sheet, crushing effect of Co., 6:12. Glauconome whitii n. sp. 2:78. Lyons Falls 4:101. Rushville, O. 4:102 Sciotoville, Ohio. Glauconome whitii n. sp. 2:78. Gleditschia triacanthos 1:33, 7:31. Glyceria acutiflora 7:98. 4:102. canadensis 7:97. Geology, chemical 3:3. elongata 7:97. fluitans 7:98. nervata 7:97. pallida 7:97. Geology, Department of, Denison University 10:87. Licking Co., O. 2:5-144, 3:13, 4:11, 4:97. and Lithology of Michipi-Glyptopora megastoma 4:83. coten Bay 2:119.
Geomys, Fiber and Erethizon, Bio-Gnaphalium purpurem 7:49. uliginosum 7:40. Gneiss, near Pacolet Mills, S. C. 4:7. logical notes on 6:15. bursarius, Biological notes of Dog River 2:128. on **6**:18. Goat's-beard 7:32. brain of 6:31. -rue 7:29.

Foxtail 7:94. Greenstone of Michipicoten Bay Golden Ragwort 7:53. Seal 7:14. Gomphonema acuminatum 3:115. 2:121. Griffithides 2:52. Goniatities 2:146. acanthiceps 2:55. iowensis 2:146. lyoni 3:92, 4-Pl. 7. Goniodon ohioensis n. sp. 3:84. absoletus 2:57. brevispinus 2:55, 57. Goodyera pubescens 7:81. bufo 2:55. calcaratus 2:55. carringtonensis 2:55, 57. repens 7:81. Goose-grass 7:45. Gopher, Biological notes on 6:18. glaber 2:55, Pl. 3. globiceps 2:55, Pl. 6. gruenwaldti 2:55, Pl. 6. longiceps 2:55, Pl. 6. food of 6:22. habits of 6:20. Gramineae 7:93. Grammysia 1:92. longispinus 2:55, Pl. 6. caswelli n. sp. 1:92. moriceps 2:55. famelica n. sp. 4:35. obsoletus 2:55. hannibalensis 3:75. platyceps 2:55, 57. portlocki 2:55. roemeri 2:55, Pl. 6. ovata n. sp. 4:35. rhomboides 3:75. sp. 3:76. triplesianus 1-Pl. 14. seminiferus 2:55, Pl. 6. Grit, Berea 4:107.
Grosbeak, The evening 1:5.
food of 1:6.
song of 1:6.
osteology of 1:7.
specific characters of 1:7.
Ground Hog, Central nervous system of 5:36. ventricosa 3:76. Granite, near Pacolet Mills, S. C. Granville, O. List of Algae from 4:132. observations meteorological at 6:47. tem of 5:36. Ground Ivy 7:69. Grape, Frost 7:27. -Pine 7:101. Graphidacei 9-1:14. Growth, sympodial 1:34. Gymocladus canadensis 1:25. Graphis scripta 9-1:14. Graphite 1:T1. Graptolitidae 2:107. Gratiola virginiana 7:64. Gypsum 1:T16. Gyroceras sp. 4:47. Greek valerian 7:60. Gyrus fornicatus, of opossum 6:84. Green-dragon 7:88. Н Exposures in R. R. cut at H, determination of 2:111. 8-II:44. Preglacial valley at 8-II:44. Habenae of Geomys and Erethizon **6**:40. Habenaria lacera 7:82. Present drainage at 8-II:44. Hanyn (Hanyite) 1:T2. orbiculata 7:82. psycodes 7:82. Hawkweed, hairy 7:54. Heal-all 7:70. Hedeoma pulegioides 7:69. Hedgehog or Bur Grass 7:94. tridentata 7:82. Habit of fresh water Hydra, notes on 4:131. Hackberry 7:76. Hair Grass 7:95. Halberd-leaved Tear-thumb 7:74. Hedge Mustard 7:18. Helenium autumnale 7:52. Helianthus annus 7:70. Halorageae 7:38. decapetalus 7:51. Hamamelideae 7:37. Hamamelis virginiana 5:10, 7:37. divaricatus 7:51. doronicoides 7:51. laetiflorus 7:51. Hamilton Group **9–**I:5. formation 9-1:6. parviflorus 7:51. strumosus 7:51. Hanover, O. Conglomerate near var. mollis 2:15. 8-II:4. Drift accumulation at tracheliifolius 7:51. 8-II:43.

tuberosus 7:51. Heliopsis laevis 7:50. Helminthite 1:T12. Hematite 1:T8. Hemerocallis fulva 7:84. Hemipronites 2:12. crassus 2:50. crenistria 3:37, 4:24. Hemitrypa ulrich n. sp. 2:152. Hemlock 7:80. Hemp 7:76. Hepatica acutiloba 7:12. triloba 7:11. Heracleum lanatum 7:40. Hercynite 1:T3. Herrick, C. Judson 10:19. Biography of 10:34. (and C. L. Herrick) Biological notes upon Fiber, Geomys and Erethizon 6:15. Editor Journ. Comp. Neurol. 10:54. Studies in the Topography of Rodent Brain 6:26. Writings of 10:34. Herrick, Clarence L. Biography of 10:16. A Waverly trilobite 2:69. (and C. J. Herrick) Biological notes upon Fiber, Geomys and Erethizon 6:15. (and W. G. Tight) Central Nervous System of Rodents 5:35. Cerebrum and Olfactories of Opossum 6:75. Compend of Lithological Manipulation 1:121. Founded Sci. Labr. Bull. 10:41. Founded Den. Sci. Assoc. 10:37. Founded Journ. Comp. Neurol. 10:54. Geological History Lick. Co., O. 1:4, 3:13, 4:11, (et. al.) Geology and Lith-ology of Michipicoten Bay 2:119. Limnicole or Mud-Living Crustaceae 1:37. Metamorphosis of Phyllopod Crustaceae 1:15. Notes on Carboniferous Trilobites 1:51.

Osteology of Evening Gros-beak, Hesperiphona vespertina Bonap. 1:5. Rotifers of America 1:43. Hesperiphona, anatomy of 1:15.

abeilii 1:5.

vespertina 1:5.

specimen of 5 specimen of 5:22. Heteranthera graminea 7:87. Heuchera americana 7:36. Hibiscus moscheutos 7:24. trionum 7:24. Hicks, Prof. L. E. Biography 10:10. principal writings 10:10. Hickory, Shell bark 7:77. Hieracium gronovii 7:54. paniculatum 7:54. scabrum 7:54. venosum 7:54. Hocking River and its tributaries 8-II:52. reversed drainage **9**–II :37. Hogweed 7:50. Honey-locust 7:31. Hop 7:76. Hop Clover 7:29. Hop Horn-beam 7:78. Hop-tree 7:25. Horehound 7:70. Horizontal component of the earth's magnetic force 2:111. Hornblende 1:T15. Horse Gentian 7:44. Horseradish 7:18. Horserausa 7.22.
Horsetail 7:99.
Horse Weed 7:49.
Hound's Tongue 7:61.
Houstonia caerulea 5:10, 7:45.
purpurea var. ciliolata 7:45.
longifolia 7:45. Huckleberry 7:56. Humulus lupulus 7:76. Hyacinth 7:84. Hyalotheca mucosa 4:132. Hydra. Note on peculiar habit of fresh water, 4:131. Hydrangea arborescens 7:37. Hydrastis canadensis 7:14. Hydrocharidaceae 7:80. Hydrophyllaceae 7:61. Hydrophyllum appendiculatum 7:61. canadense 7:61. macrophyllum 7:61. virginicum 7:61. Hypericaceae 7:22. Hypericum ascyron 7:22.

Kettle holes 9-1:15.

canadense 7:23. Hypersthene 1:T10. Hypophysis of Erethizon 6:28. densiflorum 7:23. maculatum 7:23. Hypoxis erecta 7:83. mutilum 7:23. Hystricidae, North American repreperforatum 7:23. sentative 6:26. prolificum 7:23. I Ice dam at Cincinnati, O. 9-1:26. comparison with 8-I:17. Ilysanthes riparia 7:65. Impatiens fulva 7:25. sheet, crushing effects of 6:12. Ichthyocrinus 2-Pl. 8 sp. pallida 7:25. Indian Cucumber-root 7:86. Ilex verticillata 7:26. Ilicineae 7:26.
Illaenus 1:73.
ambiguus n. sp. 1:106, 1:101, Currant 7:44. Hemp 7:58. Pipe 7:57. 2:94. Plantain 7:53. dalman I:104. daytonensis 1:101, 104, 2:93. Rice 7:94. Tobacco 7:55 insignis 1:101, 106. Turnip 7:88. I :101, 106, madisonianus Injection apparatus 5:11.
Instruction, The personal elements 2:93. Illecebraceae 7:71. in 4:147. Ilmenite 1:T3. Inula helenium 7:49. Ilyocryptus acutifrons 1:40. agilis 1:39, 40. setifer 1:39. Ipomea pandurata 7:62. purpurea 7:62. Iridaceae 7:83. sordidus 1:40. Iris lascustris 7:83. spinifer, Herrick, not the same as I. longiremus versicolor 7:83. **8–**I :15. J Jamestown weed 7:63. contents of 10:55. Junglandaceae 1:25, 27, 7:77. Junglans cinera 1:33, 7:77. Jasper conglomerate 9-I:28. Jeffersonia diphylla 7:15. Jerusalem Artichoke 7:51. Jersey Pine 7:80. Johnson, Prof. W. H. 10:5, 39. nigra, 1:33, 7:77. regia 1:30. Juniperus communis 7:80, 8-II:5. virginiana 7:80, 8-II:5. Joints in sandstone 9-1:21.
Jones, H. L. Additions to Flora of Juncaceae 7:87. Juneus acuminatus 7:87. bufonius 7:87. Lick. Co., O. 8-II:3. Catalogue of the Phanerogams and Ferns of Lick. canadensis var. longicauda-Co., O. 7:1. (et al.) Geology and Litholtus 8-II:5. effusus 7:87 ogy of Michipicoten Bay filiformis 7:87. nodosus var. megacephalus 2:119. Winter Flowers 5:10. 7:87. Journal of Comp. Neurol. 10:17, 41, tenuis 7:87. June Grass 7:07. 54. K Kalmia latifolia 7:57. Keweenaw rocks on Michipicoten Island 2:135. Kanawha system, continuation of near Portsmouth, O. Key to Brachiopoda of Licking Co., O. 4:11. ... Middle Waverly of **9**–II :19. Kentucky Blue Grass 7:97. Keokuk Group 4:99. Kinderhook. 4:100. Kinnikinnik 7:43.

Krigia amplexicaulis 7:54.

Labiatae 7:67. ortoni n. sp. 3:60, 4-Pl. 5. sp. 3:62. sp. (?) 3:62. Leiorhyncnus (?) richlandensis Laboratory manuipulation, Compend of I:121. Labradorite 1:T18. Lactuca 1:27. acuminata 7:55. Lemnaceae 7:89. canadensis 1:31, 7:54. Lemna minor 7:89. trisulca 7:89 hirsuta 7:55. integrifolia 7:54. Lentibulariaceae 7:66. Leonurus cardiaca 7:70.
Lepidium Intermedium 7:19.
viarinicum, 5:10, 7:19.
Lepidodendra (as drift) 9-1:6. leucophaea 7:55. scariola 7:54. Lady's Slipper 7:82. Thumb 7:73. Leptodesma scutella n. sp. 3:59. Lamb's Quarters 7:72. Lamellibranchiata 2:104. see Avicula scutella 4:30. of Flint Ridge, O. 2:23. Leptaena 1:79. in Clinton Group of O. 1:91. Strophomena patenta, see Lamium album 7:70. patenta maculatum 7:70. prolongata n. sp. 1:78, 79. Lancaster, O., drainage near 9-II:33. Lantern slides, Thin objects as 8-I: transversalis 1:78, 79. sericea 1:79. Lespedeza polystachya 7:30, 8-II:4. Transfer process for 8-I:50. procumbens 7:30. Without a negative 8-I:49. stuvei var. intermedia 7:30. Laportea canadensis 7:77. Lettuce, Wild 7:54. Leucite 1:T3-4. Larix americana 7:80. Larkspur 7:13. Larval History of Cypris 8-1:11. Leverett, Frank. Changes in Drainage in Southern O. 9-II:18. Lathyrus palustris 7:30. Lever-wood 7:78. myrtifolius var. Leydigia quadrangularis 1:37, 8-I:5. **8**–II :4. Lichas 1:112. Lauraceae 7:74. Leaf buds, Superposition of 1:29. breviceps 1:101, 112, 2:98, 3: 120, Pl. 13, 8:98. Leather flower 7:11. halli n. sp. 3:118. trentonensis 3:118. Lecideacei 9-I:13. Lecidea albocaerulescens 9-1:14. Lichenalia 2:168. platycarpa 9-I:14. Leconora cenisia 9-I:11, 13. subfusca 9-I:13. concentrica 2:168. Lichens of Licking Co., O. 9-1:11.
Licking Co., O. Additions to Flora
of 8-II:3.
Geology of 2:5, 2:144, 3:13,
4:11, 97.
List of fossils from 3:27. varia **9–**I :13. Leda attenuata 2:40. saccata, see Nuculana saccata **3**:80. Map of 7:104. similis, *see* Nuculan**a similis** Phanerogams and Ferns of spatulata, see Nuculana spat-7:1. Plant distribution of 7:102. ulata 3:79. Rainfall of 7:6. Leek, Wild 7:84. Subcarboniferous of 3:13. Temperature of 7:6. Leersia oryzoides 7:94. virginica 7:94. Topography and Leguminosae 1:29, 34, 7:28. drainage of 8-II:36. Leioclema gracillimum 4:92. minutum, see L. gracillimum Waverly of 3:13. Weeds of 7:7 4:92. Licking Narrows 8-II:39, 48. Licking River, Causes of changes in punctatum 4:91.

Leiopteria halli n. sp. 3:61.

nasutus n. sp. 4:29.

(?) newberryi n. sp. 4:114.

drainage of 8-II:47.

Gorge of 8-II:41.

Present channel of 8-II:38. Lithospermum arvense 7:62. Liebenerite 1:T7. Little Scioto, erosion in 9-II:28. Lobelia cardinalis 7:55. Ligusticum actaefolium 7:40. Liliaceae 7:84. Lilium bulbiferum 1:33. canadense 7:86. inflata 7:55. leptostachys 7:55. superbum 7:86. syphilitica 7:55. Lily, Yellow 7:86. cross fertilization Lima retifera 2:29.
Limatulina (?) ohioensis n. sp.
3-Pl 2. of 3:111. Locust 7:29. Logan Group in Ohio 4:103. Limestone, Clinton 1:76. Lolium perenne 7:98. analysist of 3:3. Lonicera ciliata 7:98. glauca 7:44. sempervirens 7:44. Chester 9-1:10. Dayton quarries 1:68, 73. gravel 9-1:31. Niagara 1:68. sullivantii 8-II :4. tartarica 1:34. Limnadiadae 1:17. Lophanthus nepetoides 7:69. Lophophyllum profunda 3:136. sp. 4-Pl. 11. Limnetes 1:20. gouldii, Larval developement Lopseed 7:67. of 1:17. Loranthaceae 1:33. Linaceae 7:24. Lotze's Ontology, Review of 4:137. Linaria vulgaris 7:64. Linatulina ohioensis n. sp. 3:55. Lousewort 7:66. Lindera benzoin 1:33, 7:74. Lower Silurian 1:66. Lingula atra n. sp. 4:16. gas in 1:67. cuyahoga 4-Pl. 10. Loxonema 2:22. gannensis n. sp. 4:17. delphicola (?) 4-Pl. 9. meeki n. sp. 4:18. sp. 2:147, 4-Pl. 7. yandellana 3:86. melie 2:44, 4-Pl. 9-10. membrancea 4:17. Ludlow Falls, Clinton exposures of 3:10. mytiloides 2:44. Ludwigia alternifolia 7:38. scotica 2:144. waverliensis palustris 7:38. see polycarpa 7:38. Luzula campestris 7:88. n. sp. tighti n. sp. 2:43. umbonata 2:44, 144. vernalis 7:87. waverliensis n. sp. 4:18. Lychnis githago 7:21. Lycopodiaceae 7:101. Linum sulcatum 7:24. Lycopodium complanatum 7:101. usitatissimum 7:24. lucidulum 7:101. virginianum 7:24. Liparia liliifolia 7:81. obscurum 7:101. Lippia lanceolata 1:32, 7:67. Liquorice, Wild, 7:45. Liriodendron tulipifera 1:30, 7:14. Lycopus rubellus 7:68.
sinuatus 1:31, 7:68.
virginicus 7:68. Lithological lathe 1:126. Lynceus 6:67. manipulation 1:121. Lyon Falls, Geological section 4:101. Lyriopecten nodocostatus n. sp. 4:32. microscope 1:127. notes on contact phenomena Lysimachia ciliata 1:31. nummularia 1:33, 7:57. in S. C. 4:5. Lithology and Geology of Michipicoquadrifolia 7:57. thyrsiflora 8-II:4. ten Bay 2:119. Lythraceae 7:38. laboratory manipulation in Lythrum alatum 1:32, 7:38, 8-II:4. 1:121.

M

McFarlane, Citation on relations between schists and granite 2:121. 4:149. Mackenzie River 9-I:6. McKibben, G. F. Chamisso as Naturalist and Philologist The Eructavit 8-I:19. Maclura aurantiaca 7:76. McNeil, H. C., Biography of 10:15, 36. Macrocheilus fusiformis 2:147, 4-Pl. medialis 2:21. paludinæformis 4-Pl. 11. planus 2:21. ponderosus 4-Pl. 11. sp. (?) 2:21. subcorpulentus 2:21. Macrodactylea 1:49. Macrodon 2:31. carbonaria 2:32 hamiltonae 4-Pl. 9. newarkensis n. sp. 4:36. obsoletus 2:3. reservatus 4-Pl. 6. sp. 4:38. striato-costatus n. sp. 4:37. tenuistriata 2:31, 4Pl. 10. triangularis n. sp. 3:74.
(?) " see Schizodus triangularis 4:116. Macrothrix laticornis 8-II:24. Mad-dog Skullcap 7:69. Magnesite 1:T7. Magnesium, Crystal system of 1:130. detection of in rocks 1:131. fluo-silicate of 1:130. Magnetic Force, Determination of horizontal component of earth's 2:111. Magnetite 1:T1. Magnetometer 2:111. Magnoliaceae 7:14. Magnolia acuminata 7:14. Maianthemum canadense 7:85. Mallow 7:23, 24. Malvaceae 7:23. Malva rotundifolia 5:10, 7:23. sylvestris 7:23. Map of Licking Co., O. 7:104. Maple 7:27. Marl, Beavertown 1:77. Marsh, Fletcher O. 10:7, 15. Marsh Bellflower 7:56. Mallow 7:23, 8-II:3. Marigold 7:13.

Speedwell 7:65. Marrubium vulgare 7:70. Martinia lineata 2:46. plano-convexa 2:46. præmatura 4-Pl. 3. Mastigocerca raltus 6:59. May Apple 7:15. flower 7:56. -weed 7:52. Meadow Rue 7:12. Sweet 7:32. Medeola virginiana 7:86. Medicago lupulina 7:29. Medicommissure in Geomys and Erethizon 6:40. Medulla of Arctomys, Structure of Mejonite 1:T5. Melanite 1:T3. Melicerta ringens 1:44. Melilite 1:T3. Melilot 7:29 Melilotus alba 1:34, 7:29. officinalis 7:29. Melissa officinalis 7:68. Menispermaceae 7:14. Menispermum canadense 1:30, 7:14. Mentha canadensis 7:68. piperita 7:68. sativa 7:68. viridis 7:68. Menyanthes trifoliata 7:60. Merril, Nathan F. 10:15. Meristella 1:88. cylindrica 1:88. umbonata 1:76, 78, 88 (sp.) Meroxene 1:T12. Mertensia virginica 7:61. Mesencephalon of Arctomys 5:67. Erethizon 6:29. Geomys 6:34, 35. Meteorological observations at Granville, O. 6:47. Method, Micro-chemical, in Lithology 1:128. Metopidia bractea 6:62. dentata n. sp. 6:63. elliptica n. sp. 6:62. Mexican Poppy 7:16. Miama drainage channels 8-II:55. Mist 7:61 Mica diorite, Michipicoten Island 2:138 schist of Dog River 2:138. Michipicoten Bay, Geology and Lithology of 2:119. Rocks of 2:125.

Michipicoten Island, section through Moonseed 7:14. 2-Pl. 11. Moraines 9-1:34. outline map of 2-Pl. 11. Morning-glory 7:62. Morus alba 7:76. Micrasterias truncata 2:116. rubra 7:76.

Moss Pink 7:60.

Motherwort 7:70.

Moth Mullein 7:63.

Motor nuclei of trigeminus 5:62. Micro-chemical methods 1:128. Microcline 1:T17. Microdiscus punctata 3:117. Microdon bellistriatus 4-Pl. 9. reservatus 3:75. (cf. subelliptica) 2:40. Mouse-ear Chickweed 7:22. Mount Logan 9-I:23. Mount Perry, O., Geological section Micropegmatite 1:T2. Microscope, Use of Polarizing 1:31. Milfoil 7:52. Milium effusum 7:95. near 2:115. Mountain Laurel 7:57. Milkweed 7:59. Mounting, rock sections 1:125. Mimulus alatus 7:64.
ringens 1:31, 7:64.
Minerals, Tables for determination of Muhlenbergia diffusa 7:95. mexicana 7:95 sobolifera 7:95. rock-forming 1:137, 1:57 sylvatica 7:95. Mint, Wild 7:68. Mulberry, Red, 7:76. White, 7:76. Miscrasterias truncata 4:132. Mullein 7:63. Foxglove 7:65. Mitchella repens 7:45. Mitella diphylla 7:36. Mitre-wort 7:36. Modeling, cardboard 9-II:7. Murchisonia quadricincta 3:87. sp. 4-Pl. 7. Muscovite 1:T12. instruments 9-II:7.
in wax from microscopic River, Causes which Muskingum sections 9-II:3. produced changes in Modiola waverliensis n. sp. 3:63. drainage of 8-II:47. Modiomorpha hyalea 3:76. Course of the preglacial Moina 1:20. **8**–II :47. Moina paradoxa 6:66. Description of 8-II:45. Preglacial drainage, relation of to other sys-Mollusca of Flint Ridge, O. 2:17. Mollugo verticillata 7:39. Monarda fistulosa 7:69. tems 8-II:51. Preglacial 8-II:59 Moneywort 7:57. Monocerca 1:51. drainage valley 8-11:46. rattus 1:51. see Mastigocerca rat-Muskrat, Biological notes on 6:15. tus 6:59. food of **6**:16. Monospilus dispar 1:38. huts of **6**:17. Mustard, Black, 7:19. Myalina flemingii 2:37. tenuirostris 1:37. Monostyla 1:53. closterocerca 1:53. meliniformis 2:37. cornuta 1:53. lunaris 1:53, 6:61. macrognatha 1:53. michiganensis 3:63. perattenuata 2:37. (cf. recurvirostris) 2:37. sp. (?) 2:37, 1:46. sublamellosa 2:37. oopthalma 1:53. quadridentata 1:53, subquadrata 2:37, Pl. 5. **6**:62. (?) swallovi 2:37. truncata n. sp. 6:62. Monotropa uniflora 7:57. Myosotis verna 7:62. Monotrypella 2:171. Myriophyllum spicatum 7:38. confluens n. sp. 2:172. Monstrosities, Floral 8-II:8. Mytilarca fibristriatus 4:31. occidentalis 4:32. Monticuliporidæ 2:85, 170.

N

Naidaceae 7:90. Narrows, Licking, Cause of 8-II:48. Nasturtium armoracia 7:18. lacustre 7:18.
obtusum 7:18.
officinale 7:18.
palustre 7:18.
Naticopsis nana 4-Pl. 11. nodosa 4-Pl. 11. n. sp. 3:87. Natrolite 1:T19. Nauplius-form 1:17. Nautilus bisulcatus n. sp. 3:20, 4-Pl. 11. decoratus 2:17. forbesianus 2:146. sp. 2:17, 3-Pl. 2 (?) Navicula borealis 3:115. biceps 3:115. brevis 3:115. cuspidata 3:115. consimilis 3:115. cryptocephala 3:115. cynthia 3:115. entomon 3:115. latissima 3:115. longa 3:115. polystricta 3:115. var. circumstricta 3:115. sentelloides 3:115. Negundo aceroides 7:28. New Jersey Tea 7:26. Nelumbo lutea 7:15. Nepeta cataria 7:69. glechoma 7:69. Nepheline 1:T7. Nesaea verticillata 1:31. Nettle 7:77. Nerves, Cranial, of Erethizon 6:30. of Geomys and Erethizon 6:42. origin of in rabbit and rat 5:42. Nervous system, The central, of Ro-

Newark, Quarries of 6:13. New Lexington, O., drainage near 9-II:35.
O. Geological exposures Newton, near 2:15, 16. Niagara formation 9-1:4. Group 1:67, 68, 69. Nicandra physaloides 7:63. Night-shade 7:39. Nigrine 1:T4. Nine bark 7:32. Nitzschia coaretala 3:115. Nodes, Location on parallel electric wires **q**-II:17. Nondo 7:40. Nonesuch 7:29. North Fork of Licking River, description of 8-II:36. Nosean 1:T2. Nostoc rupestre 4:132. Notommata 1:47. Nuclei, Motor, of the trigeminus 5:62. Nucleus of the pons 5:63. Nucula 1:93. houghtoni 4:44, see Ctenodonta houghtoni 3:78. iowensis, see Ctenodonta iowensis 3:78. minima n. sp. 1:93. sp. (?) 3-Pl. 4. stella. see Ctenodonta stella 3:78. Nuculana bellistriata 2:40. nuculæformis 4:45. saccata 3:80. similis n. sp. 3:79. spatulata n. sp. 3:79. sp. 3-Pl. 7, 4:45. Nuphar advena 7:15. Nymphaceae 7:15. Nymphaea odorata 7:15.

Oak, Red 7:78.
Scarlet 7:78.
White 7:78.
Obolaria virginica 7:60.
Obos of Erethizon 6:30.
Oedogonium fragile 4:132.
Oenothera biennis 7:39.
fruticosa 1:31, 7:39.
Ohio 1:50.

dents 5:35.

Berea grit of 4:107.

"shale of 4:107.
Bryozoa of the Waverly group in 4:63.
Clinton Group of 2:89, 1:49, 3:3.
Cuyahoga shale 4:103.
drainage, relation of to rock structure 8-II:61.

reniformis 7:15.

Nyssa sylvatica 7:43.

0

Orthis 1:80.

Falls of 9-I:4. bella-rugosa 1:86. Fossils of Waverly of 4:123. biforata f. Clintonensis 1:76. addivar. lynx 1:74, 78, tions and corrections 80. **5**:33 var. lynx f. dayto-Logan Group 4:103. Preglacial drainage of nensis 1:82. var lynx f. rever-9-I:15, 25. Preglacial drainage, features sata 1:80. daytonensis 1:74. of 9-II:22. n. sp. 1:87. Ohio River Gorge 8-II:57. Tertiary 8-II:61. elegantula 1:76, 78, 84. var. parva 1:78, Tributaries of 8-II:57. 85. fausta 1:70, 76.

"n. sp. 1:85.
flabella 1:76, 78, 82.
hybrida 1:76, 78, 83.
insculpta 1:86.
nisis 1:78, 86. Valley, features of 9-II:22. development of 9-II:30. Waverly shale of 4:107. Old Witch Grass 7:93. Oleaceae 7:58. Olfactories and cerebrum of the vanuxemi, var. pulchellus, opossum_6:75. var. n. 3:38, 4-Pl. 9. Olfactory lobes of Erethizon 6:27. Orthoceras 1:117, 2:17. cribrosum 2:17. of Geomys and Erethizon **6**:36. duseri 2:17. heterocinctum 4:47. Oligoclase 1:T18. inceptum n. sp. 1:117. indianense 3-Pl. 9. Olivary body of Arctomys 5:56. Olivine 1:To. rushensis 2:17, 4-Pl. 7. Omphacite 1:T14. Onagraceae 7:38. Orthoclase 1:T12. Onoclea sensibilis 7:101. Orthonema sp. 2-Pl. 14. Onosmodium virginianum 7:62. Orthonota rectidorsalis 3:65. Osage Orange 7:76. Osbun, Prof. Isaac Justin, Biogra-Oothonota rectidorsatus 3-Pl. 9. Ophioglossaceae 7:101. Ophridium paradoxum 1-Pl. 10. raphy 10:12. Oscillaria sp. 4:132. Opossum, cerebrum and olfactories of 6:75.
Optic tracts in Geomys and Eretenuis 4:132. Osmorrhiza brevistylis 7:42. thizon 6:40. longistylis 8-II:4. of rodent brain 5:40. Osmunda claytonia 7:101. Oracardia Genus n. 4:41. cinnamomea 7:101, 8-II:6. regalis 7:101. Osteology of Hesperiphona vespercornuta n. sp. 4:42. ornata n. cp. 4:41. tina 1:7. Ostracoda, Cladocera, Copepoda and Orange Root, 7:14. Orbiculoidea sp. 3:30.
pleurites 4:12, 19.
Orbiculoides newberryi 4.12, Pl. 10. Rotifera of Cincinnati, O. 6:57. Orchard Grass 7:97. Notes on American with Orchidaceae 7:81. descriptions of n. Orchid, Showy 7:82. Ragged Fringed 7:82. 8-II:13. of Cincinnati, O. Notes on Orchis rotundifolia 7:82. 8-I:3. spectabilis 7:82. Ostrya virginica 7:78. Orioles 1:13. Ottrelite 1:T12. Ornithogalum umbellatum 7:84. Oxalis corniculata, var, stricta 7:25. Orobanchaceae 7:66. recurva 7:25.

violaceae 7:25.

SD.

P

Pachydictya bifurcata 2:163. var. instabilis, var. n. 2:164. emaciata n. sp. 2:162. obesa n. sp. 2:165. turgida n. sp. 2:164. Paint Creek, falls of 1:16, 18. preglacial tributary to 9-I:25 lake 9-I:23. valley 9-I:27. Palæoneilo attenuata 3:82. bedfordensis 4-Pl. 9. concentrica, see P. elliptica. consimilis n. sp. 4:43. curta n. sp. 4:44. elliptica n. sp. 3:80, Pl. 9 " var. allorismiformus 3:81. var. elegantula 3:81. var. plicatella 3:81. ignota n. sp. 4:44. marshallensis 4-Pl. 4. plicatella 3-Pl. 4. sulcatina 4:44. Paleontology of Clinton Group 1:76. Paleozoic fossils, notes on 3:117. Panicum agrostoides 7:94. capillare 7:93. clandestinum 7:94. Crus-galli 7:94. dichotonum 7:94. latifolium 7:94. proliferum 7:93, 8-II:5. sanguinale 7:93. Pannaria nigra 9-1:11, 1:13. Papaveraceae 7:16. Papaver somniferum 7:16. Pappoose Root 7:15. Parietaria pennsylvanica 7:77. Parmeliacei 9-1:12. Parmelia borrei, var, reducta 9-1:12. cetata 9-1:12. Parnassia caroliniana 7:37. Partridge-berry 7:45. Pea 7:31. Passiflora lutea 1:34. Pastinaca sativa 7:40. Pawpaw 7:14. Payne, C. L. Cross fertilization of Lobelia syphilitica 3:111. List of Algae from Granville, O. 4:132. Pecten interstitialis 2:29. Pediastrum angulosum 2:115. boryanum 2:115. ehrenbergii 2:115. simplex 2:115.

Pedicularis canadensis 7:66. lanceolata 7:66. Peltandra undulata 7:88. Peltigera cornia, var. spongiosa **9–I : 1** 1. horizontalis 9-I:13. rufescens 9-I:13. Pennite 1:T12. Pennyroyal 7:69. Penthorum sedoides 1:32, 7:37. Penstemon laevigatus 7:64. Pepper, Wild Water 7:73. Peppermint 7:68. Periwinkle 7:58.
Pernopecten limiformis 2:24. n. sp. 2:15. shumardianus 2:23, 3:57. Pero, of opossum 6:77. Perofskite 1:T3 Persimmon 7:58. Pes of opossum 6:78. Phacelia purshii 7:61. Phacops pulchellus n. sp. 2:99. serratus n. sp. 3:126. Phaenopora expansa, see Ptilodictya expansa and Phaenopora platyphylla. fimbriata 2:161. magna 2:159. multifida 2:160. platyphylla 2:157. Phaethonides immaturus n. sp. 4:59. lodiensis 4:59. occidentalis n. sp. 4:57. spinosus n. sp. 4:58. Phalaris arundinaceae 7:95. Phallus daemonum 8-II:7. Phanerogams and Ferns of Lick. Co. O. 7:1. Phegopteris hexagonoptera 7:100. Phillipsia 2:52 aequalis 2:56. articulosa 2:54, 56. auriculatus 4:54. carinata 2:54, 56. cliffordi 2:54, 56. cliftonensis 2:55, 61. colei 2:54, 57. consors n. sp. 4:53. derbiensis 2:54. doris 2:54, 62. eichwaldi 2:54, 57. var. mucronata 2:54. elliptica 2:70. gemmulifera 2:53. howi 2:63. insignis 2:54, 63.

latispinosa 2:55. laticaudata 2:54, 56. leei 2:54, 56, Pl. 5. lodiensis 2:57. Picotite 1:T3. major 2:55, 60. meramecensis 2:55, 59, 3:28, Pignut 7:78. Pig-weed 7:72. minor 2:54, 57. missouriensis 2:55, 59. peranulata 2:55. praecursor n. sp. 3:29, 4:54. Pine 7:80. quadrilimba 2:57. rockfordensis 2:54, 62. sagamonensis 2:54, 61, 64. scabra 2:54, Pl. 3. scitula 2:54, 62. serraticaudata n. sp. 4:52. shumardi 2:54, 58, 69, see Proetus missouriensis 3:29, see P. auriculatus 4:54. stevensoni 2:55. swallovi 2:54, 58, 68, 70. tenneseensis 2:55. Pin Oak 7:79. trinucleata 2:54, Pl. 3, n. sp. 2:64. truncatula 2:53. vindobonensis 2:63. diagnosis of genus 4:51. Philodina megalotrocha 6:58. negalotrocha, see megalotrocha. roseola 6:58. Phleum pratense 7:95. Phlogopite 1:T12. Phlox divaricata 7:60. maculata 7:60. paniculata 7:60. reptans 7:60. subulata 7:60. Phoenix dactylifera, Germination of **5**:8. Pholadella newberryi 3:85. Phryma leptostachya 1:31, 7:67. Phyllopoda, Metamorphosis of 1:16. Phylloporina angulata 2:151. Physcia aquila, var. detonsa 9-1:12. hispida 9-1:13 hypolenca 9-1:12. leucomela 9-I:12. speciosa 9-1:12. stellaris 9-1:12. tribacia 9-1:12. Laboratory, Notes from Physical 5:16. Department of, Denison Physics, University 10:84. Physalis pubescens 7:63. virginiana 7:63. Physocarpus opulifolius 7:32.

Physostegia virginiana 7:70. Phytolaccaceae 7:72. Phytolacca decandra 7:72. Pigeon Grass 7:94. Pilea pumila 7:77. Pimpernel 7:65. Pimpinella integerrima 7:41. Pinite 1:T3. Pink, Deptford 7:20. Pinnatopora curvata n. sp. 4:76. intermedia n. sp. 4:74, Pl. minor n. sp. 4:77. simulatrix n. sp. 4:75. subangulata n. sp. 4:76. tenuiramosa 4:79. vinei 4:77. whitii n. sp. 2-Pl. 7. youngi 4:78, (Pl. 14 not Pl. Pinus inops 7:80 rigida 7:80. Pipilo erythropthalmus 1:13. Pipsissewa 7:57. Pitch pine 7:80. Placodium ferrugineum 9-1:13. disvar. color **9**-I:13. Placunopsis carbonaria 2:145. recticardinalis 2:43. Plagioclase 1:T17. Plantaginaceae 7:71. Plantago lanceolata 7:71. major 7:71. patagonica, var. aristata 7:71. virginica 7:71. Plantain 7:71. English 7:71. Great Indian 7:53. Plantain-leaved Everlasting 7:49. Plant distribution, Licking Co., O. 7:102. Platanaceae 7:77. Platanus occidentalis 7:77. Platyceras bivolve 3:92. haliotoides 3:91. hertzeri 3:91. lodiense 4:46. paralium 3:192. sp. 3:92 4-Pl. 10. vomerum 4-Pl. 7. Platyostoma conrad 1:97. niagarense 1:73, 79. Pleochroism 1:134.

•	
Pleonast 1:T3.	dumetorum, var. scandens
Pleurisy-root 7:58.	7:74.
Pleurodictyum problematicum 3:30,	erectum 7:73.
3:132.	giganteum 7:85.
Pleurophorus 2:35.	hartwrightii 7:73.
immaturus n. sp. ? 2:145.	hydropiper 7:73.
subcostatus 2:35.	hydropiperoides 7:73.
tropidophorus 2:35.	lapathifolium 7:73.
Pleurosigma spenceri 3:115.	" var. incarna-
Pleurotomaria 1:96.	tum 7:73.
inexpectans 1:96.	muhlenbergii 7:73.
newportensis 2:21.	orientale 7:73.
stella <i>4:116</i> .	pennsylvanicum 7:73.
strigillata n. sp. 3:86.	persicaria 7:73.
stulta 4-Pl. 7, 4-Pl. 7.	sagittatum 7:74.
sulcomarginata 4-Pl. 9.	virginianum 7:74.
textiligera, 4:46.	Polymnia canadensis 7:49.
vadosa 4-Pl. 7.	Polyphemopsis inornata 2:20.
Pleuroxus 1:37.	melanoides 2:20.
denticulatus 6:68, 8-I:5,	Polypodium vulgare 7:99.
II :24.	Polypora fastuosa 2:82.
hamatus 6 :68, 8 -I:6, II:25.	gracilis 4:73.
	impressa n. sp. 4:72.
Placema lenticulars can at an a	radialis 4:74.
Ploesoma lenticulare gen. et. sp. n.	Pond Lily, Yellow 7:15.
Diama 6.75.	
Ploima 6:59.	Pons of Arctomys, nucleus of 5:63.
Plum, Wild Yellow or Red, 7:32.	Pontederiaceae 7:87.
Poa annua 7:97.	Pontederia cordata 7:87.
compressa 7:97.	Poplar, White 7:79.
flexuosa 7 :97.	Poppy 7:16.
pratensis 7:97.	Populus alba 7:79.
serotina 7:97. Pocket Gopher, Biological notes on	balsamifera, var. candicans
Pocket Gopher, Biological notes on	7:80.
6 :18.	grandidentata 7:80.
habits of 6 :20.	monilifera 7:80.
Podophyllum peltatum 7:15.	tremuloides 7:80.
Pogonia ophioglossoides 7:82.	Porcupine, Biological notes on 6:23.
pendula 7:82.	habits of 6:24.
Poison Hemlock 7:41.	Porphyry at Dog River 2:127.
Ivy 7:28.	Portulaca oleracae 7:22.
Oak 7:28.	Portulacaceae 7:22.
Sumach 7:28.	Posidonomya fracta 2:43.
	fragilis n. sp. 3:59.
Poke 7:72. Polk Milkweed 7:59.	Potamogeton natans 7:90.
Polarizing microscope, use of 1:131.	
Polemoniaceae 7:60.	pectinatus 7:90. Potassium, crystal system of 1:129.
	detection of in rocks 1:130.
Polymertheses 7:60.	
Polyarthrae aletysters 7.40 Pl	Fluo-silicate of 1:129.
Polyarthra platyptera 1:49, Pl. 4.	Potato-vine, Wild 7:62.
Polygalaceae 7:28.	Potentilla argentea 7:34.
Polygala sanguinea 8-II:4.	canadensis 7:34.
verticillata 7:28.	" var. simplex
Polygonaceae 7:72.	7:34
Polygonum acre 7:73.	norvegica 7:34.
amphibium 7:73.	palustris 7:34.
arifolium 7:74.	Pot holes 9-I:16. Pouched Rat, Biological notes on
aviculare 7:72.	Pouched Rat, Biological notes on
biflorum 7:85.	6 :18.
careyi 7:73.	Praecommissura of opossum 6:82.
convolvulus 7:74.	Prairie Willow 7:79.

Prasopora parmula n. sp. 2:170. Prenanthes altissima 7:54. crepidinea 8-II:4. Preglacial drainage in Big Sandy Valley 9–II :26. California Valley, 9-II :27. features of Southern Ohio 9-II:27. in Flat Woods Valley 9-II:29. in Kinniconick 9-II:29. in Tygart's Creek 9-II:29. of Muskingum 8-II:47, 11:59. of Ohio 9-I:15, 25. of Ohio, Cont. to knowledge of 8-II:35.
of Symmes Creek 9-II:28.
of Salt Creek 9-II:28.
of Tuscarawas 8-II:47. and recent Drainage Chan-nels in Ross Co., O. 9-I:15, 25. evidence of a buried channel in N. W. Ohio 8-II:56. Muskingum, course of 8-II :41. drainage relation of to the state 8-II:51.
Preglacial tributary to Paint Creek and its relations to the Beech Flats of Pike Co., O. **9–**I:25. valley in Fairfield Co., O. **9**–II :33. valley of Licking River 8-II :44. Ash 7:25. Lettuce 7:54. Prickly Primulaceae 7:57. Prince's Feather 7:73. Pine 7:57. Prismopora sereata 2:75. Prosencephalon 5:81. Procyon lotor, effect of electrical stimulation on brain of **5**:38. Productus aequicostatus, see P. cora arcuatus 3:31. calhounianus, see P. cora concentricus 3:33. cora 2:47. costatus 2:49. duplicostatus 4:21. flemingi, var. burlingtonensis *3:32*. flemmgii, see P. cora. gracilis *3:34*. konnickeanus, see P. cora.

lachrymosus, var. stigmarius 3:34. laevicostus, see P. cora. longispinus 2:15, 48. muricatus 2:15, 49. nebra scensis 2:15, 49, 3:31. newberryi *4:2*0. newberryi, var. annosus. var. n. 4:20. nodocostatus n. sp. 4:23, Pl. parvus 4-Pl. 11. pratteniansus, see P. cora. punctatus 2:48. raricostatus n. sp. 4:19. rushvillensis n. sp. 4:22. semireticulatus 3:31, see P. cora. (Productella) shumardianus shumardiana, see P. concentricus 3:33. subaculeatus, see P. shumardianus 3:32. sp. 2-Pl. 2 (Productella) speciosus 3:34 key to genus 4:15. Proetidae 2:52. Proetus 2:53. auriculatus, see Phillipsia auriculatus 4:54. determinatus n. sp. 2:91. ellipticus 2:53. haldermani (?) 4:55. laevis 2:53. minutus n. sp. 4:56. missouriensis, see sia shumardi 3:29. Phillip-Philipmissouriensis, see sia auriculatus 4:54. praecursos, see Phillipsia praecursos 4:54. sp. 2:92. diagnosis of genus 4:51. Projection, electrical couple for 5:20. Promacra truncatus n. sp. 3:60. Prosencephalon of Erethizon 6:28. of Geomys 6:31. Protobasite 1:T10. Prothyris 2:32.

(cf. elegans) 2:32.

meeki 3:66 Pl. 8.

Protoschizodus, see Schizodus. Protozoa of Flint Ridge, O. 2:50. Prunus americana 7:32. serotina 7:32. virginiana 7:32. Pseudocol A. 9-II:31. Pseudomonotus radialis 2:145. Psoralea onobrychis 7:29, 8-II:4.

sp., see Phaenorpora multi-Ptelea trifoliata 1:29, 7:25. Pterinea 1:91. fida 2:160. Ptilopora paupera 4:74. brisa 1:91, 2:104. Pumatopora whitii n. sp. 2:87. Purinton, D. B. 10:5, 70. Pterinopecten ashlandensis n. sp. 4:33. cariniferus n. sp. 3:58, 4:33. Purslane 7:22.
Speedwell 7:65. laetus 4:114. Pteris aquilina 7:99. Ptero-carya caucasia 1:30. Putty-root 7:81. Pterodina 1:59. Pycnanthemum incanum 7:68. lanceolatum 7:68. linifolium 7:68. clypeata 1:60. complanata 1:60. elliptica 1:60. muticum 7:68. patina 1:59, 6:63. Pyrenula nitida 9-I:14. Pyrite 1:T1. Pteronites obliquus n. sp. 3:58. Ptilodictya bipunctata, see Phaeno-Pyrola elliptica 7:57. pora platyphylla 2:157. rotundifolia 7:57. platyphylla, see Phaenopora Pyrope 1:T2. platyphylla 2:157. Pyrrhotite 1:T1. carbonaria, see Cystodictya Pyrus angustifolia 7:35. arbutifolia 7:35. carbonaria expansa 2:155. var. melanocarpa fimbriata. see Phaenopora 7:35. fimbriata 2:161. sereata, see Prismopora sercoronaria 7:35. malus 5:10, 7:35. eata 2:75. Quarries, Allen's 1:74. Carrollton Pike 1:70. Swartzbaugh's 1:68. Quartz, 1:T6 Centreville 1:74. Queen-of-the-Prairie 7:32. Dayton 1:73. Quercus alba 7:78. Eaton Pike 1:66, 70. bicolor 7:78. coccinea 7:78, 8-II:5.
" var. tinctora 7:78. Fair Haven 1:75. Fauver's 1:75. Huffman's 1:73. imbricata 8-II:5 Newark 6:13. Soldiers' Home, Dayton, O. macrocarpa 7:78. palustris 7:79. primus 7:78. 1:66, 70. Stolz's 1:67. rubra 7:78. Rabbit, Cerebellum of 5:45. Ranunculus abortivus 7:12. Streda's work on the brain acris 7:13. ambigens 7:12. of **5**:41. Rat, Streda's work on the brain of aquatilis, var. trichophyllus 7:12. **5**:41. circinatus 7:12. electrical stimulation of Raccoon, central nervous system of pennsylvanicus 7:13. **5** :38. recurvatus 7:13. Raccoon Creek, description of sceleratus 7:12. **8**-II :36. septentrionalis 7:13. Radix pedis lateralis of opossum Raphanus sativus 7:19. Raphistoma 1:95. **6** :79. " mesalis of opossum 6:79. affinis n. sp. 1:95. Rapids Forge 9-I:17.
Raspberry, Black 7:32.
Wild Red 7:32.
Rat. cerebellum of 5:45 Ragweed 7:50. Rainfall of Licking Co., O. 7:6. Ralston's river 9:20. Ramalina calicaris, var. fastigiata 9-I:12. Rattlesnake Creek 9-1:16. Fork **9**-I:16.

Ranunculaceae 7:11.

Lithological notes on -weed 7:54. Richards, G. R. -grass 7:97. Rattulus tigris 6:60. contact phenomena in S. C. 4:5. Richweed 7:68, 77. Red Ash 7:58. Redbud 7:31. Red Cedar 7:80. Rinodina sophodes, var. exigua 9-I :13. Clover 7:28. Ripidolite 1:T12. Maple 7:27. Robinia pseudacacia 1:30, 7:29. Mulberry 7:76. Oak 7:78. Rock sections, mounting 1:125. preparation of 1:121. Rocks of Michipicoten Bay 2:125. Redtop 7:95.
Tall 7:96.
Reed's Hill, O., Clinton Group of Rocky Fork 9-1:15, 16, 17. Creek, description of 8–II:43. Rodent brain, General description of 3:10. 5:40. Resedaceae 7:19. Studies in topography of Reseda luteola 7:19. 6:26. Retepora angulata 1:72, see Phyllo-Rodents, Central nervous system of porina angulata. Comparison of brain with Rhabdomesontidae 2:71. Rhamnaceae 7:26. marsupials 5:40. Rhamnus lanceolata 7:26. Rhinalis of Erethizon 6:28.

"Geomys 6:31.
Rhinencephalon of Erethizon 6:27. Rosaceae 7:32 Rosa canina 7:35. carolina 7:34. humulis 7:34. of Geomys 6:31. rubiginosa 7:35. of opossum 6:76. setigera 7:34. Rhinopora frondosa, see R. verrucosa Rose, Climbing 7:34.
Ross Co., O., Preglacial and recent 2:166. · venosa, see R. verrucosa 2:166. drainage channels in verrucosa 2:166. 9-I:15, 25. Rotala ramosior 7:38. Rotifer vulgaris 6:58. Rhizota 6:58. Rhombopora 2:71. confluens 4:91. Rotifera, Cladocera Copepoda Ostra-coda of Cincinnati, Ohio, incrassata 4:89. lepidodendroidea 2:73. Notes on 6:57. multipora n. sp. 2:72, 87. Rotifers of America 1:43, 62. ohioensis n. sp. 4:90. Notes on American 1:43. sp. 2:74. Rhus copallina 7:28. Rubellane 1:T12. Rubiaceae 7:45. glabra 7:28. toxicodendron 7:28. Rubus 1:30. canadensis 7:33. venenata 7:28. occidentalis 7:32. strigosus 7:32. Rhynchonella 1:90. villosus 7:33. contracta 3:39, 4:23. marshallensis 3:40, 4:23. neglecta 1:78. Rudbeckia fulgida 7:50. hirta 7:50. laciniata 7:50. sageriana 3:39, Pl. 2. sappho 3:40. Rue Anemone 7:12. Ruellia ciliosa 1:31, 7:67. scobina 1:76, 78, 90. sp. 3-Pl. 7, 4:23. strepens 7:67. Rumex acetosella 7:72. subcuneata 3:39. altissimus 7:72. Key to genus 4:16. britannica 7:72. Rhynchospira ashlendensis n. sp. 4:25. crispus 7:72. obtusifolius 7:72. Rhynchospora alba 7:91. glomerata 7:91. verticillatus 7:72. Ribes cynosbati 7:37. floridum 7:37. Rushville, O., Section at 3:22. Ribgrass 7:71. Geological section 4:102.

Rush Creek, description of 9-II: Rutaceae 7:25. Rutile 1:T4. 33-35. S Sabbatia angularis 7:59. Sagenite 1:T4. Santalaceae 7:75. Sapindaceae 7:27. Saponaria officinalis 7:21. Sagittaria variabilis 7:89. Sarsaparilla 7:42. Sassafras officinalis 7:74. variabilis var. angustifolia 7:89. gracilis 7:89. latifolic Sault Ste. Marie 1:5. latifolia 7:89. Saxifraga pennsylvanica 7:36. " obtusa 7:89. heterophylla, var. angustifolia virginiensis 7:36. 7:89. Saxifrage, Swamp 7:36. rigida 7:89. Scale divider 5:20. St. John's-wort 7:23. Scapholeberis mucronata 6:67, 8-I:3. Salicaceae 7:79. Salite 1:T14. Scapolite 1:T5. Scaridium longicaudum 6:60. Salix alba, var. vitellina 7:79. Scarlet Oak 7:78. cordata 7:79. Scenedesmus polymorphus 2:115. quadricauda 2:115. discolor 5:10, 7:79. fragilis 7:79. Scheuchzeria palustris 8-II:5. humilis 7:79. Schist, Chloritic 2:126. longifolia 7:79. near Pacolet Mills S. C. 4:8. nigra 7:79. Schizodus affinis sp. (?) n. 2:41. purpurea 7:79. amplus 2:41, 43. sp. 5:10. chemungensis, var. aequalis Salpina 1:52. 3:64. affinis n. sp. 1:52. cuneatus 2:41, 42. brevispina 6:60. cuneus 3:65. mucronata 1:52, 6:60. Salt Creek, Preglacial drainage in curtis 2:41, 42, 2:145. harlamensis n. sp. 4:117. g-II :28. medinaensis 3:65. Sambucus canadensis 1:30, 7:43. newarkensis n. sp. 3:64, 4:36. Samolus valerandi, var. americanus occidentalis 2:41. palaeoneiliformis n. sp. 3:96, 7:57. Sandstone 9-I:20. Waverly 9-I:21. Sandwort, Thyme-leaved 7:21. 4-Pl. 6. perelegans 2:41. prolongatus n. sp. 4:36. Sanguinaria canadensis 7:16. quadrangularis 4-Pl. 6. Sanguinolites aeolus 3:70. (?) spellmani n. sp. 2:42. amygdalinus 3:69. subcircularis n. sp. 2:41, contractus 3:69. 2:145. flavius 3:69. marshallensis 3:67. triangularis 4:116. wheeleri 2:42. michiganensis 3:70. Scientific publications 10:41. naiadiformis 3:71. nobilis, see Allorisma nobilis Pronunciation terms, Latin and Greek 4:161. 3:71. Scioto Basin, abnormal drainage in obliquus 3:70. 9-II :20. rigida, see S. transversus River 9-1:15. 3:68. character of its upper senilis n. sp. **3:66**. and lower portion transversus 3:68. 8-II :53. unioniformis 3:67. Valley, relation to Ohio Val-Sanicula marylandica 7:42. ley 9-II:25. var. canadensis Sciotoville, O., geological section 7:42. near 4:102. Sanidine 1:T13. Scirpus atrovirens 7:91.

fluviatilis 7:91.	Shepherd's-purse 7:19.
lacustris 7:91.	Shin-leaf 7:57.
polyphyllus 7:91.	Showy Orchid 7:82.
pungens 7:91.	Schults' Mt., O. 9– I :30.
Scouring-rush 7:99.	Sickle-pod 7:17.
Scrophulariaceae 7:63.	Sicyos angulatus 7:39.
Scrophularia nodosa 1:31.	Sida crystallina 6:66.
" var. marylandica	Siderite 1:T7.
7:64.	Silene antirrhina 7:21.
Scrub Pine 7:80.	armeria 7:21.
Scutellaria canescens 7:69.	stellata 7:21, 8-II:3.
galericulata 7:70.	virginica 7:21.
lateriflora 7:69.	Sillimanite 1:Tg.
nervosa 7:70.	Silphium perfoliatum 7:50.
pilosa 7:70.	trifoliatum 7:50.
saxatilis 7:69.	Silurian, exposures at Dayton, C
versicolor 7:69.	1:66.
Sections of rocks 1:121.	Simocephalus americanus, see ser
grinding of in Lithology	rulatus.
	serrulatus 8–II :23.
I:125.	
mounting of in "	vetulus 6:67, 8-I:4.
I:125.	Sinking Springs, O. 9-I:30.
Sedum ternatum 7:37.	Sisymbrium officinale 1:31, 5:10
Seed-box 7:38.	7:18.
Self-heal 7:70.	Sisyrinchium angustifolium 7:83.
Senecio aureus 7:53.	cicutaefolium 7:41.
" var. balsamitae 7:53.	Skull, of Erethizon 6:27.
" " obovatus 7:53.	Slate, Chloritic 2:125.
lobatus 7:53.	Slippery Elm 7:76.
Sensitive-fern 7:101.	Smaragdite 1:T15.
_plant 7 :31.	Smartweed 7:73.
Senna, Wild 7:31.	Smilacina racemosa 7:85.
Septopora biserialis 2:87.	Smilax bona-nox 7:84.
var. gracins 2.00.	ecirrhata 7:84.
Sericite 1:T12.	glauca 7:84.
Seriocarpus conyzoides 7:47.	herbacea 7:84.
Serpentine 1:T19.	hispida 7:84.
Service-berry 7:36.	rotundifolia, var. quadran
Setaris glauca 7:94.	gularis 7:84.
verticellata 7:94.	Snake-root 7:46. Sneeze-weed 7:52.
viridis 7:94.	Sneeze-weed 7:52.
Seymeria macrophylla 7:65.	Soapstone, near Pacolet Mills, S. C.
Shad-bush 7:36.	4:8.
Shale, Bedford 4:108.	Soapwort 7:21.
exposure of at Cent. Col. O.	Sodalite 1:T2.
5:25.	Sodium, crystal system of 1:129.
Berea 4:107.	detection of in rocks 1:130
exposure at Moot's	fluor-silicate of 1:129.
Run, O. 5:26.	Soft-rush 7:87.
Cleveland 4:110.	Solanaceae 1:29, 34, 7:63.
Cuyahoga in Ohio 4:103,	Solonum dulcomora #:62
	Solanum dulcamara 7:63.
5:30.	nigrum 7:63. Soldiers' Home Ouarries 1:66.
Erie, fossils of 4:110.	Solea concolor 7:20.
Waverly, exposure of at	Solon (2) on (2) 2129
Newark, O. 5:26.	Solen (?) sp. (?) 2:38.
Waverly of Ohio 4:107.	Soleniscus, see Macrocheilus.
Sheep-berry 7:44.	fusiformis 2:147.
Sheen Sorrel 7:72.	medialis 2:147.
Shell-bark 7:78. Shepardson, Geo. 10:40.	planus 2:147.
Snepardson, Geo. 10:40.	Solenomya 2:29.

disjunctus 4-Pl. 3. glaber 4-Pl. 11. (?) anodontoides 2:29. (?) cuyahogensis n. hannibalensis, 4:115. s e e Syrin-(?) meekiana n. sp. 2:30. gothyris cuspidatus 3:41. (?) hirtus 3:47, 4-Pl. 10. increbescens 4-Pl. 11. radiata 2:30. subradiata n. sp. 2:30. Solidago bicolor 7:47. keokuk 4:114. var. concolor 7:47. marionensis 3:43, 4:26. caesia 7:47. sp. 3:46. canadensis 7:47. lanceolata 7:47. striata (?) 2-Pl. 2. striatiformis 3:44, 4-Pl. 2. tenuspinatus n. sp. 4:27. textus, see Syringothyris latifolia 7:47. nemoralis 7:47. serotina 7:47. cuspidatus 3:41. var. gigantea 7:47. winchelli n. sp. 3:46. patula 7:47. Spirifera camerata 2:45. rugosa 7:47. lineata 2:46. uliginosa 7:47, 8-II:4. Solomon's-seal 7:85. Sonchus asper 7:55. opima 2:44. planoconvexa 2:46. sp. (?) 2:46. urii 2:46. oleraceus 7:55. Carolina, Lithological notes Spiriferina depressa n. sp. 3:47. South on contact phenomena in octoplicata 3-Pl. 7. 4:5. South Fork Licking River, description of 8-II:37. solidirostris 3:47. Spirifers of the L. marionensis group 3:42. Spirodela polyrrhiza 7:89. Spirometer, A simple 5:14. Spanish Needles 7:52. Sparganium eurycarpum 7:88. Spirophyton 2:11. simplex, var. androcladum 7:88. Spirogyra adnata 4:132. dubia 4:132. fluviatilis 4:132. Spathella ventricosa 4:31. Spearmint 7:68. Spearwort 7:12. herricki n. sp. 4:132. Specular iron 1:T8. insignis 2:115. Specularia perfoliata 7:55. Speedwell 7:65. Sphaerozosma filiforme 2:116. weberi 2:115. Spirostomun teres 1-Pl. 10. Splenialis of opossum 6:76. Spring Beauty 7:22. Cress 7:17. Sphærexochus mirus 3:121. Sphenotus, see Sanguinolites 3:69. Squamella 1:54. contractus 3:69, 4:31. flavius 3:69. bractea 1:54, Pl. 4. Squaw-root 7:66. transversus 3:69. Spice-bush 7:74. Spiderwort 7:87. Spikenard 7:42. False 7:85. Squirrel-corn 7:16. Stachys aspera 7:71. var. glabra 7:71. cordata 7:71. Spinel 1:T3. palustris 7:70 Spirea aruncus 7:32. Staphylea trifolia 7:28. lobata 7:32.
salicifolia 7:32.
Spiranthes gracilis 7:87.
Spirifer biplicatus 3:45, 4:25. Star-of-Bethlehem 7:84. Starry Campion 7:21. Star-grass 7:83. Staurastrum anatinum 2:116. camerata 2:45.
sec Syringothyris inconspicuum 2:116. polymorphum 2:116. cuspidatus 3:41. carteri 2:12, see Syringothypseudopachyrhynchum 2:116. Staurolite 1:T9. Steatite, near Pacolet Mills, S. C. ris cuspidatus. cuspidatus, see Syringothyris cuspidatus 3:41. 4:9. Steironema ciliatum 7:57. deltoideus n. sp. 4:27.

Stellaria longifolia 7:22. Streptorynchus tenuis 2:105 media 5:10, 7:22. pubera 7:22. Striatum of Geomys and Erethizon 6:39. Stenanthium robustum 7:86. Stricklandinia (?) subquadrata n. sp. Stenopora carbonaria 2:85. 2:49. Strombodes pygamæus 3:120. Strong, O. S. 10:17, 54. ohioensis n. sp. 2:85. sp. undet. 4:92. Stephanops 1:54. cirratus 1:55. Strophomena 1:79. englypha, see S. patenta lamelleris 1:55. 2:105. patenta 1:79, 2:105. rhomboidalis 1:79, 4-Pl. 9. longispinatus 1:55. muticus 1:54. Strophostyles angulosa 7:31. ovalis 1:55. tridentatus 1:55. Strophostylus 1:96. Stevenson, Prof. J. J. 9-I:6, 10:62, cyclostomus 1:06. Sub-carboniferous of Lick. Co., O. 70. Science as an educational factor 10:71-82. 3:13. Sugar-berry **7**:70. Sugar Grove, O., Sticta amplissima 9-1:13. drainage near pulmonaria 9-1:13. Stictopora bifurcata, see Pachydic-9-II:33. Sugar Maple 7:27. taya bifurcata 2:163. compressa, see Phaenopora Sumach 7:28. Summer Grape 7:27. magna 2:159. Sundew 7:37. magna, see Phaenopora Sundrop 7:39. magna 2:159. Sunflower 7:50. Superposition of leaf buds 1:29. Swamp Dock 7:72. striata 3:95. van clevii, see Phaenopora fimbricata 2:161. Citation on Rodent Brains Oak 7:79. Thistle 7:53. Stieda, Sweetbriar 7:35. 6:31. Stilbite 1:T19. Sweet Cicely 7:42. Clover 7:29. Flag 7:88. William 7:21. Sitchwort 7:22. Stonecrop 7:37 Stonewort 7:68. Storksbill 7:25. Strawberry 7:33. Streblotrypa amplexa n. sp. 4:86. wild 7:60. Viburnum 7:44. Sycamore 7:77. Symmes Creek, Abandoned drainage denticulata n. sp. 4:88. near 9-II:20. Preglacial drainage of gracilis n. sp. 3:57. hertzeri n. sp. 4:85. major 4:84. 9-II :28. Symphoricarpus vulgaris 7:44. media n. sp. 3:56. Symplocarpus foetidus 5:10, 7:88. Synocladia biserialis, see Septopora multiporata n. sp. 4:87. obliqua n. sp. 4:85. regularis n. sp. 4:88. biserialis, var. gracilis squama n. sp. 3:57. 2:80. striata n. sp. 4:87. Streblopteria sp. 4-Pl. 5. Syringotheris cuspidatus 3:41. typa, see S. cuspidatus. tenuilineata 2:28. T

Taeniodictya interpolata n. sp. 4:80. Talc 1:T12.
Tamarack 7:80.
Tanacetum vulgare 7:52.

var. crispum 7:52.
Tansy 7:52.
Tansy 7:52.

Taraxacum officinale 5:10, 7:54. Tear-thumb 7:74. Teases Valley, Rock floor of g-II:19.
Teasel 7:46.
Tecoma radicans 7:66.
Temperature of Lick. Co., O. 7:6.
Tephrosia virginiana 7:29.
Terebratula 3:48.
inconstans n. sp. 4:24.
Tertiary Ohio River 8-II:61.

Teucrium canadense 1:31, 7:67. Thalami of Erethizon 6:29. Thalamus of Didelphys 5:77. Thalictrum dioicum 1:28, 7:12. polygamum 7:12. purpurascens 7:12. Thaspium aureum 7:40, 8-II:4. var. trifoliatum 7:40, **8**–II:4. barbinode 7:40. Theloschistes concolor 9-I:12. Thelypodium pinnatifidum 7:18. Thimbleberry 7:32. Thistle, Canada 7:54. Common 7:53. Thoulet's Method 1:123. Thresher, Albert 10:62, 70. Thrush, Brown 1:13. Thymelaeaceae 7:75. Tiedmannia rigida 7:40. Tight, W. G. 10:19, 32, 39, 40, 41, Biog. 32. A convenient injecting apparatus 5:11. A specimen of Hesperophona vespertina 5:22. A simple spirometer 5:14. see Herrick, C. L. 5:35. Contribution to a knowledge of preglacial drainage of Ohio 8-II:35. Drainage features of southern Ohio 9-II :22. (et. al.) Geology and Lithology of Michipicoten Bay, 2:119. slides without a Lantern negative 8-I:49. Note on a peculiar habit of fresh water hydra 4:131. Notes from Botanical Laboratory 8-II:7. Preglacial tributary to Paint Creek 9-I:25. Preglacial valley in Fairfield Co., O. 9-II:33. Some observations on the crushing effects of glacial ice sheet 6:12 Tiliaceæ 7:24. Tilia americana 7:24. Till, glacial 9-I:132. Timothy 7:95. Titanic iron 1:T1. Titanite 1:T12. Toad Flax 7:64.
Toboso, O., Gorge of Licking River Toad Toboso, O., Gorge 8-II:38. Todd's Fork, Clinton exposure at

3:11.

Toothwort 7:17. Toothache Tree 7:25. Topography and present drainage of Lick. Co., O. 8-II:36. Touch-me-not 7:25. Tourmaline 1:T8. Tower Mustard 7:17. Tradescantia virginica 7:87. Trap 9-I:28. Tree-of-heaven 7:26. Trefoil 7:25. Tremolite 1:T15. Tridymite 1:T6. Trifolium 1:34. hybridum 7:29. pratense 7:28. procumbens 7:29. repens 7:29. stolopiferum 7:28. of Arctomys, Bladder Trigeminis cells of 5:61. motor nuclei of 5:62. Trillium cernuum 7:86. erectum 7:86. grandiflorum 7:86. sessile 7:86. Trilobite, A Waverly 2:69. Triodea cupea 7:96. Triosteum perfoliatum 7:44. Triplesia 1:89. ortoni 1:89. (?) triplesiana n. sp. 1:89. Trochonema 1:94. nana n. sp. 1:94. Trumpet-creeper 7:66. Honeysuckle 7:44. -weed 7:46. Tsuga canadensis 7:80. Tulip-tree 7:14. Tumbleweed 7:72. Tupelo 7:43. Turkey creek, O., Description of 9-Il :34.
Turk's-cap-lily 7:86.
Turner, C. H. Notes on Cladocera Copepoda, Ostracoda and Rotifera of Cincinnati, O. **6**:57. Additional notes on same **8**–I :3. Notes on American ostracoda 8-II:13. Twin-leaf 7:15. Twinning phenomena 1:133.
Tygart's creek, preglacial drainage
in 9-II:29.
Typhaceae 7:88. Typha latifolia 7:88.

U

Uralite 1:T16.

Urticaceae 7:76.

Urtica canadensis 7:77.

Ulmus americana 5:10, 7:76. fulva 1:35, 7:76.

Watercress 7:17. Water-dock 7:72.

Lily 7:15. Oats 7:94.

Purslane 7:38.

racemosa 7:75.

Ulrich, E. O. Bryozoa of the Wavgracilis 7:77. Usnea barbata, var. florida 9-I:12. erly Group of Ohio with descriptions of new spe-Utricularia minor 7:66. cies 4:63. Umbelliferae 7:40. Uvularia grandiflora 7:85. perfoliata 7:85. Vaccinium corymbosum 7:56. lentago 7:44. prunifolium 7:44. macrocarpon 7:56. pubescens 7:44. Vinca minor 5:10, 7:58. stamineum 7:56. vacillans 7:56. Valerianaceae 7:46. Violaceae 7:19. Valerianella chenopodifolia 7:46. Viola blanda 7:20. radiata 7:46.
Vallisneria spiralis 7:80.
Velvet-leaf 7:24.
Ventricles of brain of Geomys and canadensis 7:20. odorata 5:10. palmata 7:19. var. cucullata 7:20. Erethizon 6:36. pubescens 7:20. Venus's Looking-glass 7:55. var. scabriuscula . Verbascum blattaria 7:63. 7:20. rostrata 7:20. sagittata 7:20, 8-II:3. thapsus 7:63. Verbenaceae 7:67. Verbena hastata 7:67. stricta 1:31. urticaefolia 1:31, 7:67. striata 7:20. tricolor 7:20. Violet, Arrow-leaved 7:20. Vernonica altissima 7:46. Veronica americana 7:65. Canada 7:20. Dog's tooth 7:85. arvensis 7:65. officinalis 7:65. Downy yellow 7:20. Green 7:20. Sweet White 7:20. peregrina 7:65. scutellata 7:65. Virginia-creeper 7:27. Snakeroot 7:74. Virgin's Bower 7:11. Viridite 1:T19. serpyllifolia 7:65. virginica 7:65. Verrucariacei 9-I:14. rupestris 9-I:14. Vitaceae 7:27. Vervain, Blue 7:67. White 7:67. Vitis aestivalis 7:27. var. bicolor 7:27. Viburnum acerifolium 7:44. cardifolia 7:27. dentatum 7:44. riparia 7:27. Wahoo 7:26. Wave distribution in parallel wires Waldsteinia fragarioides 7:33. 9–II : IA. Wallastonite 1:T15. electrical, in long parallel Walnut, Black 7:77. Walnut creek 9-I:24. Water Beech 7:78. wires 9-II:8. fossils of Lick. Co., O. Waverly 4;II.

4:97.

freestone 9-I:27. generalized section in Lick.

Co., O. 3:26. group of Lick. Co. O. 3:13,

"the 5:24.
"in Ohio, Bryozoa of 4:63.
rock, exposures in Lick. Co., O. 2:12.
sandstone 9-I:17.
sections at Cat Run, O. 3:25
"near Lyon Falls, O. 4:101.
"at Summit, O. 3:26.
shale, exposures near Newark, O. 5:26.
"of Ohio 4:107.
of Ohio, Tabulated list of fossils of 4:123.
additions and corrections to same 5:33.
Wax modeling f r o m microscopic section 9-II:3.
-work 7:26.
Weeds of Lick. Co., O. 7:7.
Wells, W. E., Wax modeling 9-II:3
Wheelersburg, O., Abandoned channel near 9-II:18.
White Oak 7:78.

Snakeroot 7:46. Whitlow Grass 7:18. Wild Carrot 7:40. Coffee 7:44.
Willow, Black 7:79.
Crack 7:79. Glaucous 7:71. Heart-leaved 7:79. Purple 7:79. Water 7:67. Wind-flower 7:11. Winterberry 7:26. Winter Flower 5:10. Wintergreen 7:56. Witch-hazel 7:37. Wolfia columbiana 4:132, 7:89. **8**–II :5. Wood Betony 7:66. Woodsia ilvensis 7:101. obtusa 7:101. Wood Sorrel 7:25. Wool-grass 7:91. Wooster, O., Geological Section: **5** :28.

Xanthium canadense 7:50.

X Xanthoxylum americanum 7:25.

Yam-root 7:83. Yarrow 7:52. Y Yellow Rocket 7:18.

Zaphrestis sp. 2-Pl. 2. Zeolite 1:T19, 1:7. Zircon 1:T4. Zizania aquatica 7:94. Zizia aurea 7:41. Zoisite 1:T11.

Z Zoology, Department of, Denison University 10:88.

Zygnema cruciatum 4:132.

stellatum genuinum 4:132.

Zygospira 1:90.

modesta 1:78, 90.

Digitized by Google

•

Digitized by Google

